


□ □□□□ □□ □□ □□ □□ □□ □□□□□ □□□□ □□ □□□ □□ □ □□ □□ □□

□□ :



Boreway Machinery Co.,Ltd  
www.diamondtools.top  
www.boreway.net

□□ □□ □□□□ □□ □ □□□□ □□

1. □□□□ □□□□, □□ □ □□ □ □□□ □□□□ □□□□ □□□□□.
2. □□□□□ □□□□ □□ □□□□ □□□ □□ Sestoration Tools.
3. □□□□ □□□ □□ □□□□ □□ □□□□, □□□ □□□□, □□ □□□ □□□□□
4. □□ □□□□ □□ □□□ □□ □□□ □□ □□□□
5. □□□□ □□□□ □□□□ □□ □□□ □□□□□□.
6. □□□ Lavina □□□□ □□□ □□□□□□

□□:


□□□ □□ - □□ □□□□, 4000 ~ 5500 psi □□. □□□□□ □□□ □□□□□ □□ □□□ □□□□□□ □□□ □□□□□□□□□. □□ □ □□□□□ □□ □ □□□, □□, □ □, □□□□ □□□□□□.

□□ □□ - □□ □□□□ □ 2500 ~ 4000 psi □□□□ □□ □□ □□ □□□□ □□ □□□□ □□ □□□□ □□□□□□□□□□. □□□□ □□□ □□ □



# Shoe Shape

Segment Height: 10mm



Quick Lock Connection

2T








Grinding Machine



Concrete Grinding Effect





**3. 2024 2025 2026 2027?**

2024, 2025 2026 2027. 2024 2025, 2026 2027 2028 2029 2030 outlogo 2024 2025 2026. 2027 2028. 2029 2030 2031 2032 2033 2034. 2024 2025, 2026 2027 2028 2029. 2030 2031 2032 2033 2034 2035 2036. 2027 2028 2029 2030 2031 2032 2033. 2024 2025 2026 2027.

2024:

Fujian Nanan **boreway**® Machinery Co.,Ltd.