

□□ :



□□ □□ □□□□□ □□□□□ **3** □□ □□ **PCD** □□ □□□□ □□□□

□ □ □□

□□□ □□□ □□□□□ □□□□ □□ □□□ □□ □□, □□□□, □□□□ □ □□ □□□□□ □□ □□ □□□ □□□□□□□□□□. □□ □□ □□□□ □□□□□ □.

□□□ □□□ □□□□□ □□□□ □□ □□□□, □□□□, □□□□, □□□□, □□□□, □□ □□ □□ □□, VCT □□□□, □□ □□ □□□□ □ □□□□ □□□□ □□□□ □□ □□□□ □□ □□□□ □□□□□□□□.

□□:


□□□ □□□□ □□□□□ □□ □□□ □□□□□ □□□□□ **3** □□ □□ **PCD** □□ □□□□ □□□□ □ □□ :

□□:	□□□□ □□
□□:	PCD □ □□□ □□□□
□□□□ □□ :	1/2 PCD * 3T □ D25mm * H5mm * 1T
□□□□ □□:	16-270 # □
□□:	PCD + □□□□□ □□□□□ + □□ □□□
□□□ :	3 X M6 □□ M8 □□ □□ □
□□:	□□□□ □ □□ □ □□
□□:	□□ □□ □□
□□:	□□□□ □□, □□ □□, □□ □□

PCD Diamond Grinding Shoes are used for grinding concrete and terrazzo floors. They are available in various sizes and configurations.

PCD Diamond Grinding Shoes:

PCD Diamond Grinding Shoes are available in 3 different PCD configurations:





<PCD Diamond Grinding Shoes>

PCD Diamond Grinding Shoes are available in various sizes and configurations.

PCD :

PCD Diamond Grinding Shoes are used for grinding concrete and terrazzo floors. They are available in various sizes and configurations. (PCD, M6, M8, Bare Holes)





□□:

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

□□ : □□□ □□□ □□ □□ □□, □□□□ □□ □ □□, □□□□ □□□□□.

□□ :

1. □□□□□ □□□ □□□ □□ □□□ □□□□□ □□□□ □□ □□ □□□□□.
2. □□□□ □□ □□□ □□□□□ □□□ □ □□□ □□□ □□ □□□□.
3. □ □□□□ □□□ □□ □□ □□ □□□□□ □□□□. □ □□□□ □□□□ □□ □□ □□ □□□□□ □□□□.

□□:


□□□ □□□□, □□□□ □□□, □ □□ □□ □□ □□

□□ □□ :




Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

PCD □ □ □ □ □ □ □ □



Boreway Machinery Co.,Ltd
www.fordiamondtools.com
www.diamondtools.top

PCD □ □ □ □ □ □ □ □



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

PCD □ □ □ □ □ □ □ □

□□ □□ :

