

□□ :



2 □□ □□ □□ □□ □□□□ □ □□ □ □□□□ □□□□ □□

□□ □ □□□□ □□□□ □□ □□ □□ □□□□ □□□ □□ □□□□ □□□□ □□ □□□ □□□□.

□□ □ □□□□ □□□□ □□ □□ □□□□ □□ □□ □□□ □□ □□ □□ □□ □□ □□ □□ □□□□□□.

□□□:

□□□ □□□□ □□□□ □□ □ □□□□□ □□□□ □□□:

□□:	□□ □ □□□□□ □□□□ □□
□□□□ □□:	16-270 # □
□□:	□□ □ □□□□
□□ □□:	40 * 10 * 10mm * 2T
□□:	□□□□□□ □□ □□
□□:	□□□□ □ □□ □ □□
□□:	2 □□ □ Redi Lock □□
□□:	□ □□ □ □□ □□ □□
□□:	□□ □□□□ □□, □□□□ □□, □□ □□, □□ □□□ □□, □□ □□□ □□


此種材料係由天然木質材料製成，具有優良之物理及化學性質。其表面粗糙度可根據不同之需求進行調整，以達到最佳之磨削效果。

材料規格：

材料尺寸及規格：

40\*10\*10mm\*2T  
Double Bar Segments

Grit: 16-270# etc






Single Pins Blank



00, 00 0 00 00 0000 00.

1. 00 00 (0000) - 00 000000 00 0000 0000 0000 00 000000 0000 0000 0000 00 0000 0000 000000 000000. 0000 0000 0 0 000000.
2. 00 00 (0000) - 00 0000 0000 00 0000 00 00 00.
3. 00 00 (0000) - 00000000 00 0000 0000 0000 000000 00 0000 00 00 0000 000000.





**Before Grinding and Polishing**



**After Grinding and Polishing**

☐☐:

CONCRETE HARDNESS	Xtreme Hard	Very Hard	Hard	Medium Hard	Soft	Very Soft
PSI	6500-9000	5000-7000	4000-5000	3000-4000	1500-3500	1000-2000
MPA	C50-C65	C40-C55	C30-C50	C20-C40	C15-C25	C10-C20
CODE	XHF	VHF	HF	MHF	SF	VSF
COLOUR						

☐☐ : ☐☐☐ ☐☐☐ ☐☐ ☐☐ ☐☐, ☐☐☐☐ ☐☐ ☐☐ ☐☐, ☐☐☐☐ ☐☐☐☐☐.



**Two Round Pins Redi Lock Blank**



**Two Square Pins Redi Lock Blank**

**2 Pin Redi Lock Blank :**

1. Pin Pin Pin Pin Pin Pin.
2. Pin Pin Pin Pin Pin Pin.


Pin:

- 1) Pin Pin Pin Pin Pin Pin Pin Pin.
- 2) Pin Pin Pin Pin Pin Pin Pin Pin.
- 3) Pin Pin Pin Pin Pin Pin Pin Pin.
- 4) Single Pins Diamond Grinding Shoes Pin Pin Pin Pin Pin Pin Pin Pin Pin Pin.

Pin:

Pin Pin Pin Pin Pin Pin, Pin Pin, Pin Pin Pin Pin

Pin Pin:



Boreway Machinery Co.,Ltd  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.net](http://www.boreway.net)

2 □ □ □ □ □ □ □ □ □ □ □ □



Boreway Machinery Co.,Ltd  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.net](http://www.boreway.net)

2 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ :



□ □ □ □ □ :



1. 鋼 鋼 鋼 : 鋼 鋼 鋼 鋼 鋼.
2. 鋼 鋼 : 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.
3. OEM 鋼 : 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.
4. 鋼 鋼 : 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼. 鋼 鋼 鋼 鋼 鋼 鋼.
5. 鋼 鋼 : 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.

鋼:

**1. 鋼 鋼 鋼 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼 鋼 鋼 鋼?**

鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼. 鋼 鋼  
 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.  
 鋼 鋼 鋼. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.  
 鋼, 8 鋼 鋼, 鋼 鋼 鋼 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼  
 鋼.

**鋼 鋼 鋼 鋼 鋼 鋼?**

鋼 鋼 鋼 鋼 鋼 鋼. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.  
 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼. 鋼  
 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.  
 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.

**3. 鋼 鋼 鋼 鋼 鋼 鋼?**

鋼 鋼 鋼. 鋼 鋼, 鋼 鋼 鋼 鋼. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼  
 鋼 鋼 鋼. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼, 鋼 鋼 鋼 鋼 鋼 鋼.  
 鋼 鋼 鋼, 鋼 鋼 鋼 鋼. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼  
 鋼 鋼 鋼 鋼 鋼 鋼.

鋼 鋼 :

1. 鋼 鋼 鋼 鋼 鋼 鋼.
2. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.
3. 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼 鋼.


鋼 :

**Fujian Nanan *boreway* Machinery Co.,Ltd.**

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, 鋼 鋼

 鋼 : (+86) 595-86990206 /  鋼: (+86) 595-86990220

 鋼 / **WhatsApp / Wechat** : (+ 86) 13559599186

 鋼: [boreway05@boreway.net](mailto:boreway05@boreway.net)

 鋼 鋼