

Production Description:

□□:

Boreway diamond cup grinding wheels are usually used with large grinding machine and other hand-held grinding machines, these diamond cup grinding wheels are designed for the restoration or maintenance of granite, marble, and many other stone surface, Boreway diamond cup grinding wheels are polishing with quick speed and without scratch.

Our professional **diamond cup grinding wheels** are designed to ensure fast grinding and finishing of concrete, granite, and other stones in dry or wet conditions. Our diamond grinding wheels are available in three grits: coarse (30/40 grits) for fast stock removal, medium (70/80 grits) for moderate grinding, and fine (100-120 grits). We offer both diamond cup wheels with 5/8-11 thread, and velcro backed diamond grinding wheels for grinding concrete counter tops.

Using sequence □ From the thick number to the number, Polishes finally.

□□: Our products export to Brazil, India, Australia, USA, Ukraine, Italy, Poland, Russia, more than 20 different countries. In these overseas markets, our cup grinding wheels enjoy a good reputation, we get good feedbacks about their corresponding test result, and also a long lifespan. so, we are confident in our products quality.

All of our products have been strictly tested before access to market.

Other specification can be ordered by client.

Detailed Images:

Turbo Segment Diamond Cup Grinding Wheels:

Turbo segment diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.

These diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of turbo segment diamond cup grinding wheels:

| □□ | □□ | □□ | □□ |
|----------|--------|------------|------|
| 5"/125mm | 7-10mm | M14 M16 | 6# |
| 6"/150mm | 7-10mm | 5/8"-11 | 16# |
| 7"/180mm | 7-10mm | 20mm | 30# |
| 8"/200mm | 7-10mm | 22.23mm | 60# |
| 9"/230mm | 7-10mm | Snail Lock | 120# |

The above specifications just a reference for you.

Other specifications can be ordered by client.



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Single/double Row Diamond Cup Grinding Wheels:

Single/double row diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.

These single/double row diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of single/double row diamond cup grinding wheels:

| Outer Diameter | Core Diameter | Core Type | Grain Size |
|----------------|---------------|------------|------------|
| 3"/75mm | 5mm/6mm | M14 M16 | 35# |
| 4"/100mm | 5mm/6mm | M18 M20 | 50# |
| 4.5"/115mm | 5mm/6mm | 5/8"-11 | 120# |
| 5"/125mm | 5mm/6mm | 20mm | 200# |
| 6"/150mm | 5mm/6mm | 22.23mm | 400# |
| 7"/180mm | 5mm/6mm | Snail Lock | |
| 8"/200mm | 5mm/6mm | | |
| 9"/230mm | 5mm/6mm | | |

The above specifications just a reference for you.

Other specifications can be ordered by client.



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Continuous Rim Diamond Cup Grinding Wheels:

Continuous rim diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.


These Continuous rim diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of Continuous rim diamond cup grinding wheels:

| □□ | □□ □ | □□ | Grit No. |
|------------|---------|-----------------|----------|
| 4"/100mm | 5mm/6mm | M14 M16 | 30# |
| 4.5"/115mm | 5mm/6mm | M18 M20 | |
| 5"/125mm | 5mm/6mm | 5/8"-11 20mm | 60# |
| 6"/150mm | 5mm/6mm | 22.23mm | 120# |
| 7"/180mm | 5mm/6mm | Snail Lock | |
| 8"/200mm | 5mm/6mm | | |
| 9"/230mm | 5mm/6mm | | |

The above specifications just a reference for you.

Other specifications can be ordered by client.



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Electroplate/vacuum Brazed Diamond Cup Grinding Wheels:

Electroplate/vacuum brazed diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.

These electroplate/vacuum brazed diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of electroplate/vacuum brazed diamond cup grinding wheels:

| Wheel Diameter | Wheel Thickness | Wheel Width | Grain Size |
|----------------|-----------------|-------------|------------|
| 4"/100mm | 2mm | 20mm | 30# |
| 5"/125mm | 2mm | 20mm | 60# |
| 6"/150mm | 2mm | 20mm | |
| 7"/180mm | 2mm | 20mm | 120# |
| 8"/200mm | 2mm | 20mm | |

The above specifications just a reference for you.

Other specifications can be ordered by client.



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Special segment diamond cup grinding wheels:

Special segment diamond cup grinding wheels are designed for surface restoration or maintenance of granite, marble, concrete and other stone.

These special segment diamond cup grinding wheels are suitable for large grinding machines and other hand-held machines.

The following are the normal specifications of special segment diamond cup grinding wheels:

| Outer Diameter | Segment Thickness | Segment Width | Segment Shape |
|----------------|-------------------|---------------|---------------|
| 4"/100mm | 5mm/6mm | M14 M16 | 35# |
| 4.5"/115mm | 5mm/6mm | M18 M20 | 50# |
| 5"/125mm | 5mm/6mm | 5/8"-11 | 120# |
| 6"/150mm | 5mm/6mm | 20mm | 200# |
| 7"/180mm | 5mm/6mm | 22.23mm | 400# |
| 8"/200mm | 5mm/6mm | Snail Lock | |
| 9"/230mm | 5mm/6mm | | |

The above specifications just a reference for you.

Other specifications can be ordered by client.



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Packing & Delivery:

We will deliver within seven days of your payment, diamond cup grinding wheels are packed in cartons.

We can also pack the diamond cup grinding wheels according to your requirements.

Special diamond cup grinding wheels delivery through consultation.



Fujian Nanan **boreway** Machinery Co., Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



☎: (+86)595-86990220



Mobile/ WhatsApp /Wechat: (+ 86) 18650679939



✉: boreway@boreway.com



Lyon Chang