Introduction:

2"-diameter holder for Roloc-type discs and pads excellent quality,amd in china,Heavy -duty rubber pad,aluminum core with nickel-plated removable steel shank 1/4" shank fits power drills,die grinders,air grinders and other power tools accepts sanding,polishing ,surface conditioning/preparation,bristle and other disc consumables rated 20,000RPM,1-1/2"L shank,overall height2-5/8";2.5oz,Also 3"inch.Resourceful tool for sanding, polishing, surface preparation, paint stripping, sanding primers and more. This tool can also be used as a polishing disc holder to polish jewelry or cars.Play a fixed role, with pressure, shock absorption, noise reduction and other functions.

Feature:

1.1/4" dia. 1-1/4" long steel shank, fits most grinders.
2.Heavy duty rubber pad, aluminum core with nickel-plated removable steel shank
3.Professional tools ideal for sanding discs as well as conditioning discs.

Specification:

2" sanding disc holder:

Diameter: 45MM

Rod length: 45MM
Shank Diameter: 6MM
Screw hole: M6
Maximum speed: 30000 RPM

3" sanding disc holder:

Diameter: 67MM
Rod length: 45MM
Shank Diameter: 6MM
Screw hole: M6
Maximum speed: 20000 RPM

Picture:

2 inch Backing Pad Holder 1/4inch Shank Lock Rotary Sanding Polishing Disc Holder For Roloc Discs

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.
Address: Shuitou Town,Quanzhou, Fujian, China
Post Code: 362342
TEL: (+86)595-86990206
FAX: (+86)595-86990220
WhatsApp: +86-15659082992
Email: boreway02@boreway.net