

Introduction:

2"-diameter holder for Roloc-type discs and pads excellent quality,amd in china,Heavy -duty rubber pad,aluminum core with nickel-plated removable steel shank 1/4" shank fits power drills,die grinders,air grinders and other power tools accepts sanding,polishing ,surface conditioning/preparation,bristle and other disc consumables rated 20,000RPM,1-1/2"L shank,overall height2-5/8";2.5oz,Also 3"inch.Resourceful tool for sanding, polishing, surface preparation, paint stripping, sanding primers and more. This tool can also be used as a polishing disc holder to polish jewelry or cars.Play a fixed role, with pressure, shock absorption, noise reduction and other functions.

Feature:

- 1.1/4" dia. 1-1/4" long steel shank, fits most grinders.
- 2.Heavy duty rubber pad, aluminum core with nickel-plated removable steel shank
- 3.Professional tools ideal for sanding discs as well as conditioning discs.

Specification:

2" sanding disc holder:

Diameter: 45MM

Rod length: 45MM

Shank Diameter: 6MM

Screw hole: M6

Maximum speed: 30000 RPM

3" sanding disc holder:

Diameter: 67MM

Rod length: 45MM

Shank Diameter: 6MM

Screw hole: M6

Maximum speed: 20000 RPM

Picture:

2 inch Backing Pad Holder 1/4inch Shank Lock Rotary Sanding Polishing Disc Holder For Roloc Discs

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.
Address: Shuitou Town,Quanzhou, Fujian, China
Post Code: 362342
TEL: (+86)595-86990206
FAX: (+86)595-86990220
WhatsApp: +86-15659082992
Email: boreway02@boreway.net