

## Introduction:

3 Inch Hook and Loop Copper Bond Diamond Wet Polishing Pads for Concrete Terrazzo Cement Floor .These Copper Diamond Polishing Pads can be used wet .Use the 30, 50, 100, 200 grit to shape and start the polishing process. They will seamlessly switch over to the standard 400 grit polishing pads to finish the polish.

## Advantage:

- 1.Wet use only
- 2.Hook and Loop
- 3.Maximum speed: 4500 RPM
- 4.Best use granite marble and concrete

## Specification:

Specification of 3 Inch Hook and Loop Copper Bond Diamond Wet Polishing Pads


diameter (inch/mm)	thickness(mm)	grit
3" /80mm	3.0mm	30#, 50#, 100#, 200#, 400#
4" /100mm		
5" /125mm		

Other thickness and diameter can be customized according to need.

## Image:


3 Inch Hook and Loop Copper Bond Diamond Wet Polishing Pads for Concrete Terrazzo Cement Floor

**boreway**®




**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®




**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Contact us:**

**Fujian Nanan Boreway Machinery Co.,Ltd.**

**Address:** Shuitou Town,Quanzhou, Fujian, China

**Post Code:** 362342

**TEL:** (+86)595-86990206

**FAX:** (+86)595-86990220

**WhatsApp:**+86-18650679939

**Email:**borewa02@boreway.net