Descriptions:

30s Alloy Teeth Litchi Grinding Grains 3 Row 2 Row Arrangement Without Support Bush Hammer Grinding Wheel
30s Alloy Teeth Bush Hammer

1. High grinding efficiency and long service life.

2. Uniform, real and natural processing surface.

3. Much lower production costs compared to the traditional processing method.
30s Alloy Teeth Bush Hammer is setting on the bush hammer plate install on bush hammer machine.

Specially designed tools are available for any standard apllication. We can customize tools as per your exact needs.

Specifications:

The normal size of **30s Alloy Teeth Bush Hammer:**

Grains No.	Material	Welding Method	Application
30S	Alloy And Steel	Sinter Welding	Bush Hammer Disc

Feature:

30s Alloy Teeth Bush Hammer

· Easily Replaceable Cutters.

· Create non-slip surfaces on concrete and pavers.

· Make removal of coatings from concrete and asphalt easy.

· Texture or profile surfaces to speed up initial cut on exposed concrete polished floors.

· Remove traffic lines from bitumen and concrete and other surfaces with ease and speed without excessive damage to the surface.

Application:

30s Alloy Teeth Bush Hammer is used on bush hammer plate,also used as a design element to create a profile just like Litchi surface.We are devote ourselves to provide high quality product and helping you down comprehensive cost to get more benefit.And the 30s Diamond Litchi Bush Hammer Roller is suitable for floor grinding.

30s Alloy Teeth Bush Hammer is used on bush hammer plate,For double-layer disks, sinking single-layer disks.

Product Details:

30s Alloy Teeth Bush Hammer are used on bush hammer plates on manual grinding machines or auto/semi-auto bush hammered machines to process bush hammered litchi surface on granite,marble and other stone surface.

30s Alloy Teeth Bush Hammer for stone the roughness of the bush hammered surface can be adjusted with our bush hammer through adjustment of spring elasticity on the bush hamme



Litchi Surface Grinding Head

Application Machine:

30s Alloy Teeth Bush Hammer can be adjusted with our bush hammer through

adjustment of spring elasticity on the bush hammer, or through the pressure of the manual grinding machine.

Packing Delivery:

PS:

1.Tools packing in carton cases

2.By Air/Sea for batch goods, Airport/Port receiving

3.Less than 45kg, generally delivery by express(Door to Door

4.When tools are in large quantities, they are packing in wooden cases

Our Service:

1.Low MOQ: It can meet your trial order need well.

2.OEM Accepted: We can produce according to your sample or drawings.

3.Good Service: We treat our clients as God with high professionalism and passion.

4.Good Quality: We have strict quality control system. Good reputation in the market.

5.Fast Delivery: We have big discount from forwarder.

FAQ:

1.**How could we know the quality, if we want to order your products?**
Please just test them with a very small order, then you will know the quality. At present,so many people in the world to use Chinese products, because of the high quality and most competitive prices. We are professional manufacturer in supplying diamond tools for more than 8 years. Anyway, confirming our products quality, a small trial order for testing will be necessary.

2.**Can you offer free samples?**
We don't offer free samples, according to our many years experience, we think people get the samples by paying, they will cherish and appreciate more what they get. But we are willing to give our potential customers a special discount which they are used to do a testing. It is very important to give us feedback, we appreciate it.

3.**Does your company accept custom-made?**
Surely, we accept it. Including different color, grit etc. We also can mark your own logo and brand on the pad. Any new products you want us to produce for you, just send us your drawing or sample, we will produce the same one. We will not sell this kind of products to oth er
customers only if we get your permission.

Kindly Notice:

1.Please provide the material before purchase.

2.Before purchase, please provide the model of the machine.

3.Other specifications can be customized according to requirements.

Contact Us:

Fujian Nanan boreway Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **Fax:** (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang