Product Description:

Introduction:

Fully Automatic Mechanical Cold Press Machine For Diamond Segments is divided into two different models according to the different pressure (BWM-35T and BWM-60T). On the basis of the commonly used mechanical cold press machines, We made too much improvement and adjustment. It can be used for pressing of large, medium and small saw blade segment, fan-shape segment, diameter of 14, 12, 10, 8, 6 mm drill bit segment and some special shape segment, etc.

Features:

1. Small and delicate LED work light;

2. The screen is working together with the brake, greatly increasing safety factor for operator;

3. It also can be used for pressing the segment with a base layer of metal powder (welding layer).

4. Feeding the metal powder in the way of mechnical, feeding more twice extraly in a short distance and more accurate;

5. This equipment has a pressure relief device, turning a hand wheel can relieve pressure easily when the machine is stuck;

6. Strengthen wear parts optimization, maintenance rate is much lower than the past similar equipments, increasing service life of the machine;

7.The structure of four guide pillars, feeding the metal powder into the mould with high precision, installing cold press mould is conveniently and simply;

Advantage:

Our products export to Brazil, India, Australia, USA, Ukraine, Italy, Poland, Russia,

more than 20 different countries . In these overseas markets,our

products enjoy a good reputation, we get good feedbacks about their corresponding test resu It, and also a long lifespan. so, we are confident in our products quality.

All of our products have been strictly tested before access to market. Other specifications can be customized according to requirements.

Details:

Specification of fully automatic mechanical cold press machine: Model: BWM-35T

Maximum working pressure	35000KGS
Maximum size of mould cavity	40*70MM
Size of the mould	L (220-250) * W 130 * H (20-30)CM
The largest volume of hopper box	30KGS
Maximum height of metal powder	0.5-20MM
Weight accuracy of metal piece	±2%
Quantity of metal piece per time	1- 4PC
Motor Power	2.2KW
The rated voltage	380V

The rated current	6A
Work efficiency	34Times / Min
Size of the mould	L (220-250) * W 130 * H (20-30)CM
Device dimension	L810 * W1000 * H1600(Face angle)
Net Weight	760KGS

Other specifications can be customized according to buyer's requirements.

Another model, Pls click here: <u>Automatic Mechanical Cold Press Machine for dia</u> <u>mond segment</u>

The following shows only part of the product, other products can be customized according to your needs

If you do not find the product you want, please contact us for more product images.

Pictures:

Automatic Mechanical cold press machine for diamond segments 35T



Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Diamond Segments Cold Press Machine Details





Automatic Cold Press Machine Tools Accessories included





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Fully Auto Cold Press machine Tool Box included







This cold press machine can make the following diamond segments,also can ma ke other kinds.

More Pics in details, Pls contact with us :)



Packing and shipping:

We will deliver within seven days of your payment,products are packed in wooden. We can also pack the products according to your requirements. Special specifications need to be negotiated for delivery times.





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

-DELIVERY-

Less than 45kg, generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

BY AIR





Contact Us:

Fujian Nanan Boreway Machinery Co.,Ltd. Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China. Post Code: 362342 Tel.: 0086-595-86990206 Fax: 0086-595-86990220 Sales: Ally Huang Mobile/WhatsApp: 0086-13559599186 Wechat: boreway05 Skype: boreway05 Facebook: 13559599186 E-mail: boreway05@boreway.net Website: http://www.diamondtools.top