Introduction:

4 inch dry or wet diamond polishing pads are widely used for dry or wet polishing granite and marble contoured and straight edge. And the unique design allows for rapid and even removal rated with minimum effort. Featuring heavy-duty resin with high quality diamond powder.

Grinding result: High gloss and lasting shining

Machine: Angle grinders wet grinder and automatic polishing machines. **Usage:** For polishing hard granite marble or other hard stone.

Feature:

- 1. Dry and wet polishing;
- 2. Flexible and smooth polishing;
- 3. Fast polishing without scrach.
- 4. Dry and wet flexible Diamond Polishing Pads are widely used for polishing Terrazzo Concrete Engineered Stone, Porcelain, Quartz.

They are with the capability for a high glossy degree.

They are designed for a variety of applications and can be used for floor polishing.

Specifications:

Dry or wet diamond polishing pads are the normal Specifications we are selling:

Code No.	Diameter	Thickness	Quality Class	Grit No.	Holder
BW-PP-0103-01	80mm(3″)	2.5mm,3.0mm	Premium Standard Economical	50#,100# [] 200#,400#[] 800#,1500#, 3000#	Velcro
BW-PP-0103-02	100mm(4″)	2.5mm,3.0mm			Velcro
BW-PP-0103-03	125mm(5″)	2.5mm,3.0mm			Velcro
BW-PP-0103-04	150mm(6″)	2.5mm,3.0mm			Velcro

Other specification of diamond polishing pads can be customized by customers.

Picture:

4 inch 100mm 7pcs diamond dry and wet polishing pads for granite and marble











The polishing pads with the capability for a high glossy degree and fast polishing without scratch.

E

CE



Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com



If you want to know more Resin Bond Diamond Polishing Pads, please click here <u>Diamond Polishing Pads</u>

Packing & Delivery:

- 1. Tools packing in carton cases;
- 2. When tools are in large quantities, they are packing in wooden cases.

-DELIVERY-

Less than 45kg, generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.



Kindly Noted: When place order for diamond polishing pads please inform the following: Grit No. Order Quantity Dry or Wet Use Diameter (Inch or mm)

Expected Shipping Date

Special Requirements (If)

Code No. of Diamond Polishing Pads Diameter or Specifications (Inch or mm) Material Polishing: For Granite, Marble, or other material?

Contact Us:

Fujian Nanan Boreway Machinery Co.,Ltd. Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China. Post Code: 362342 Tel.: 0086-595-86990206 Fax: 0086-595-86990220 Sales: Nayuy Skype: live:1575259146 E-mail: boreway06@boreway.net Website: http://www.diamondtools.top