

Introduction:

Aluminum matrix diamond cup grinding wheel is mainly used for diamond grinding bowl edge, surface, chamfered surface of the stone, leveling, coarse grinding, fine grinding and so on. Easy to use, high efficiency grinding. It is fast pondering, trimming and finishing concrete shape, stone, the most effective tool for stone, usually with the use of electric or pneumatic tools at hand. Comes in aluminum base providing light weight and fast cooling effect by high conductivity.

Feature:

1. Shape precision, good grinding effect, long pot life;
2. The high grinding efficiency, for different grinding objects, using different binding agent.
3. Balanced by Dynamic Balancer, effectively reduce the high speed vibration;

Specification:

The normal specification of **Cup Wheel Silent Core Turbo Cup Grinding Aluminum**

Diameter	Connection	Segment Height	Grit
105mm(4")	5/8"-11	5.0mm	Rough(#30) Medium(#60) Smooth(#120)
115mm(4.5")	20mm		
125(5")	22.23mm		
150mm(6")	M14		
180mm(7")	Snail Lock		


The above specification just a reference for customers. Other specification can be ordered by customers.

Image:

4 inch 30# Diamond Cup Wheel Silent Core Turbo Cup Grinding Aluminum For Concrete Granite



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway[®]



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway[®]



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

If you are want to konw more information,welcom to our [website](#)

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206

FAX: (+86)595-86990220

WhatsApp: +86-18650679939

Email: boreway01@boreway.net