

Introduction:

Diamond core bits are available in premium and supreme qualities for drilling of concrete, field stone and other materials. These diamond core bits are designed with premium diamond for superior coring performance and long life and are typically used dry on hand drills and core drilling machine. Core bits are specifically designed to tackle a variety of soft brick and concrete block drilling operations.

Features:

- 1.Excellent cutting speed.
- 2.Good sintering offer high efficiency drilling.

Specifications:**Diamond Boart Dry Cutting Core Bits**

| Code No. | Diameter | Segment Size | Usage | Pipe Length | Welding Method | Adaptor |
|------------|----------------|--------------|-------|-------------|---|----------------------------|
| BW-DDB-S04 | 20mm (3/4") | 12x3x10 | Dry | 85-200mm | Silver Welding Laser Welding High Frequency | 5/8"-11 M14 1/2" Gas |
| | 22mm (7/8") | 12x3x10 | | | | |
| | 25mm (1") | 12x3x10 | | | | |
| | 29mm (1-1/8") | 12x3x10 | | | | |
| | 32mm (1-1/4") | 16x3x10 | | | | |
| | 35mm (1-3/8") | 16x3x10 | | | | |
| | 38mm (1-1/2") | 16x3x10 | | | | |
| | 42mm (1-5/8") | 16x3x10 | | | | |
| | 45mm (1-3/4") | 16x3x10 | | | | |
| | 50/51mm (2") | 16x3x10 | | | | |
| | 57mm (2-1/4") | 22x3.5x10 | | | | |
| | 60mm (2-3/8") | 22x3.5x10 | | | | |
| | 63mm (2-1/2") | 22x3.5x10 | | | | |
| | 70mm (2-3/4") | 22x3.5x10 | | | | |
| | 76mm (3") | 22x3.5x10 | | | | |
| | 80mm (3-1/8") | 22x3.5x10 | | | | |
| | 89mm (3-1/2") | 22x3.5x10 | | | | |
| | 102mm (4") | 22x3.5x10 | | | | |
| | 110mm (4-3/8") | 22x3.5x10 | | | | |
| | 127mm (5") | 24x4x10 | | | | |

The parameters only for reference,other specifications are available upon request.

Picture of Product:**Diamond Boart Dry Cutting Core Bits**



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com