


5 Inch 125mm Diamond Flap Sanding Disc For Angle Grinder

Descriptions:



5 Inch 125mm Diamond Flap Sanding Disc For Angle Grinder

5 Inch electroplate flap sanding discs are mainly used for grinding and polishing all kinds of natural stone, concrete, metal, glass and so on. It can be used in dry condition. With which have good heat resistance and long service life. Electroplated diamond chips with expanded adhesive area are not easy to fly during grinding.

Specifications:

The following are normal specifications of **5 Inch electroplate flap sanding discs**:



Size	5 Inch
Use Type	Dry Use
Model No.	BW-DFSD-D125-96
Grits	60#, 100#, 200#, 400#
Material	Electroplated Diamond
Type	Diamond Flap Sanding Disc
Machine	For Angle Grinder, Hand Tools
Application	Widely Used For Grinding Concrete, Stone, Metal And Ect

The above specification & photos is only for reference, other specification or design can be ordered by customers.


Product Details:

5 Inch electroplate flap sanding discs


Electroplated Diamond
Flap Sanding Disc



Inner Hole: 22.23mm



Electroplated Diamond Flap
With Expanded Adhesive
Area



Grit 60#

Grit 100#

Grit 200#


Grit 400#



Machine And Application:

5 Inch electroplate flap sanding discs can be used with angle grinder and other hand tools.







Advantages:

1. Perfect processing effect.
2. Long lifespan and good stable.
3. Our products are strictly tested before leaving the factory.

4. The flap will not fly out during working. It is much more safety.

Features:

1. Can be use in dry condition.
2. Can be used with angle grinder and other hand tools.
3. The specifications can be customized according to customers' needs.

Related Products:



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

[Diamond Turbo Row Grinding Cup Wheel](#)



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

[Diamond Single Row Grinding Cup Wheel](#)

About us:



Our service:

1. Low order quantity: It can meet the test order you need.
2. Fast delivery: We get great discounts from freight forwarders.
3. OEM Acceptable: We can produce according to your samples or drawings.
4. Good quality: We have a strict quality control system. Has a good reputation in the market.
5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

Description:

1. If we want to order your product, how do we know your quality?

Please test in a very small order and then you will know the quality. Now, so Many people in the world use Chinese products because of their high quality and high quality.

competitive price. We are a professional diamond tool manufacturer.
In any case, for more than 8 years, confirm the quality of our products, small test orders will be tested necessary.

Can you provide samples for free?

We do not provide free samples. Based on years of experience, we believe that people will get them.

By paying for samples, we will cherish and appreciate the more they get. We would have been

Be prepared to offer our potential customers a special discount for participating in the test. It is very important to provide feedback to us and we will be very grateful.

3. Does your company accept customization?

Of course, we accept it. Includes different colors, gravel, etc. We can also tag your own logo And the brand on the board. You want us to produce any new products for you, just send us your products.

Drawing or sample, we produce the same. We will not sell such products to others Only customers can get a license.

Please note:

1. Please provide items before purchase.
2. Please provide the model number before purchase.
3. Other specifications can be customized according to requirements.

Contact us:

Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 13557694058

 **E-mail:** boreway07@boreway.net

 **Anna Shen**