

## Specifications:

The following are normal specifications 5 Inch Double Row Diamond Grinding Wheel:

Name:	5 Inch Double Row Diamond Grinding Wheel
Blank Material:	45Mn Steel
Surface Finishing:	Color Painting
Diameter:	5 Inch (D125mm)
Bore:	M14, 22.23, 5/8"-11
Grits Available:	Coarse, medium, fine
Segments Type:	Double Row Segment
Material:	Diamond And Metal Powder
Machine:	Soft Bond, Medium Bond, Hard Bond
Bond Available:	Angle Grinder or General Grinding Machine
Process:	Cold Pressed Sintered,High-Frequency Welded

Specially designed tools are available for any standard application. We can Tailor your tools to your specific needs.

## Product Details:

**5 Inch Double Row Diamond Grinding Wheel:**

# Double Row Diamond Cup Wheel

φ100MM φ115MM φ125MM φ180MM

Used for grinding concrete,  
stone, cement, floor engineering





115/125/180mm



Other Diameter

Outer Diameter		Segment Size(mm) (L*W*H)	Core	Diamond Grit
Inch	mm			
4	100	30*4.5*8.3 (Outer)	22.23, M14, 5/8"-11 etc.	30#, 50#, 100#
		23.4*4.5*7.1 (Inner)		
		30*5.0*8.0 (Outer)		
		20*5.0*7.0 (Inner)		
4.5	115	30*4.5*8.3 (Outer)		30#, 50#, 100#
		23.4*4.5*7.1 (Inner)		
		30*5.0*8.0 (Outer)		
		20*5.0*7.0 (Inner)		
5	125	30*4.5*8.3 (Outer)		30#, 50#, 100#
		23.4*4.5*7.1 (Inner)		
		40*5.0*8.0 (Outer)		
		30*5.0*8.0 (Inner)		
7	180	37*4.5*7.8 (Outer)		30#, 50#, 100#
		37*4.5*7.0 (Inner)		
		28*5.0*8.0 (Outer)		
		20*5.0*7.0 (Inner)		

[If you are interested in our products, you can click on me.](#)

**Descriptions:**



**5 Inch Double Row Diamond Grinding Cup Wheel For Granite Stone And Concrete**

Boreway **5 Inch Double Row Diamond Grinding Wheel** are engineered with top-grade industrial diamond for maximum cutting performance and superior grinding life.

**5 Inch Double Row Diamond Grinding Wheel** Cup Wheels are designed to be used on small and large angle grinders. They are designed with an optimized cutting matrix.



## Applications:

**5 Inch Double Row Diamond Grinding Wheel** suitable for works with concrete, tiles, wall, marble, grinding granite edges, plate, chamfering and arc grinding. Applicable to marble grinding, granite, ceramic, artificial stone, glass, etc.

The double bowl mill is usually used on hand electric or pneumatic tools







### Choice Grit:

5 Inch Double Row Diamond Grinding Wheel metal bond diamonds high grinding efficiency and low grinding force generates less heat in the grinding process.

1) Coarse grit: 16#,24#,25#,30# etc.

Could be used for un-even concrete floors, rough grinding preparation on floor or old floor renovation.

2)Medium grits: 36#, 50/60# , 60/80# etc.

Could be used for all kinds of concrete and terrazzo floors, grinding preparation on floor or old floor renovation.

3) Fine grits: 80/100# , 100/120#, 120/150#, 200# etc.

Could be used for all kinds of concrete and terrazzo floors, find grinding preparation on floor or old floor renovation before polishing.

### **Advantages:**

- 1) Specification is complete and varied.
- 2) Never burns the surface of the stone.
- 3) Long lifespan and stable performance.
- 4) Competitive price and superior quality.
- 5) Good balance assures excellent grinding effect.
- 6) 5 Inch Double Row Diamond Grinding Wheel excellent service.

### **Features:**

- 1) Flange with thread M14 or 5/8"-11available.
- 2) Low-noise, no-dost, friendly surroundings, safety operation.
- 3) Bond of soft,medium, hard to fit different hardness stone and floors.
- 4) Application: for grinding concrete, hard granite, marble, engineered stone, etc.
- 5) 5 Inch Double Row Diamond Grinding Wheel coarse, medium and fine grit on request.

### **Related Products:**



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com



Boreway Machinery Co., Ltd.  
www.diamondtools.top  
www.boreway.com

**125MM Diamond Grinding Cup Wheel**

**5 Inch Diamond Grinding Cup Wheel**

**About us:**



**Our service:**



1. Low order quantity: It can meet the test order you need.
2. Fast delivery: We get great discounts from freight forwarders.
3. OEM Acceptable: We can produce according to your samples or drawings.
4. Good quality: We have a strict quality control system. Has a good reputation in the market.
5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

### Please note:

1. Please provide items before purchase.
2. Please provide the model number before purchase.
3. Other specifications can be customized according to requirements.

### Contact us:

## Fujian Nanan **boreway**® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 13559599186



**E-mail:** [boreway05@boreway.net](mailto:boreway05@boreway.net)



**Kelly Huang**