

## Product Description

**5 inch hexagons bush hammer plate** is used to grind the surface of granite, marble, concrete and other materials to a rough surface.

**5 inch hexagons bush hammer plate** can be sized according to their machine adjustments and adapters, and other specifications can be customized upon request.

These carbide tips are repeatedly struck on the stone or concrete surface to create a rough and pockmarked texture.

## Feature:

1. Excellent performance and durability.
2. Competitive price and value for money.
3. Strict quality control to provide high quality products.
4. High grinding efficiency, coarse and fine flowers can be adjusted.

## Product Specification:

The following is the specification of **5 inch hexagons bush hammer plate**:

| Size   | Tips Number | Material      | Connector |
|--------|-------------|---------------|-----------|
| 5 Inch | 30 Tips     | Carbide Alloy | M14       |


Other specification of bush hammer plate:

| Model      | Out Diameter |     | Roller Quantity | Segment Quantity | Connection   | Remark                       |
|------------|--------------|-----|-----------------|------------------|--|------------------------------|
|            | Inch         | mm  |                 |                  |  |                              |
| BW-BH12514 | 5            | 125 | 3               | 14               | M10<br>M12<br>M16<br>5/8"-11<br>40H-50H<br>Φ74-3*m8<br>Fast Connection | Single Layer<br>Double Layer |
| BW-BH12514 |              |     | 4               | 14               |  |                              |
| BW-BH12520 |              |     | 3               | 20               |  |                              |
| BW-BH12520 |              |     | 4               | 20               |  |                              |
| BW-BH12530 | 5            | 125 | 3               | 30               |  |                              |
| BW-BH15014 | 6            | 150 | 4               | 14               |  |                              |
| BW-BH12520 | 6            | 150 | 4               | 20               |  |                              |
| BW-BH15045 | 6            | 150 | 3               | 45               |  |                              |
| BW-BH15030 |              |     | 4               | 30               |  |                              |
| BW-BH20045 | 8            | 200 | 4               | 45               |  |                              |
| BW-BH20030 |              |     | 6               | 30               |  |                              |
| BW-BH25045 | 10           | 250 | 5               | 45               |  |                              |
| BW-BH25030 |              |     | 6               | 30               |  |                              |
| BW-BH30045 | 12           | 300 | 6               | 45               |  |                              |
| BW-BH30030 |              |     | 9               | 30               |  |                              |
| BW-BH35045 | 14           | 350 | 9               | 45               |  |                              |
| BW-BH35030 |              |     | 12              | 30               |  |                              |

Other specifications are available upon your requests.

## Product show

## 5 inch hexagons bush hammer plate



**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**




**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**



**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**

**Application:**





Marble



Granite



Concrete



Sandstone

**boreway®**



**FAQ**

## 1. What can Bush Hammers do?

- Make a safe non-slip surface on natural stones.
- Remove old glue and resin coatings, especially thick resins.
- Eliminate any surface and create an antique surface.
- Prepare the floor before laying a new coating.
- Expose the aggregate to the concrete floor to prepare for concrete polishing.

## 2. Will the teeth of the bush hammer roller fall off?

Of course not, We use high-strength flux to weld the carbide tip to the grinding wheel. The grinding wheel is sturdy and durable, with a long life, and the tip is not easy to fall off.

## 3. Do you provide many kinds of Bush hammer tool?

We provide 30s, 45s, 60s and other various bush hammer wheels, as well as multi-brand floor lychee surface grinding blocks and grinding discs.



### Contact Us:

Fujian Nanang **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail: [boreway@boreway.com](mailto:boreway@boreway.com)**



**Lyon Chang**