

Introduction:

3inch Diamond Griinding Block For Concrete Granite Hard Material Polishing designed to remove coatings on concrete floor to prepare the floor for polishing. professional design helps remove coatings more evenly and effectively. Excellent toughness and impact resistance. The segment is hot-pressed and professionally welded on the plate to make sure the density of segment is resonable and help to extend the life time of the disc.

Feature:

Hook & loop self adhesive backed

Used with floor grinding/polishing machines

Aggressive, Excellent performance in the complex and changing processing environment.

Specification:

3inch Diamond Griinding Block For Concrete Granite Hard Material Polishing

| Diameter | Grit | Holder | Workable Thickness |
|-----------|----------------------------|-------------|--------------------|
| 3"(80mm) | #30 #50 #70 #100 #200 #400 | Velcro Back | 8mm |
| 4"(100mm) | #30 #50 #70 #100 #200 #400 | Velcro Back | mm |

Picture:

5pcs/Lot 3inch Diamond Griinding Block For Concrete Granite Hard Material Polishing

boreway®




Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com



Segment Length: 7mm/ 0.27"



High: 15mm/ 0.59"

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.
Address: Shuitou Town,Quanzhou, Fujian, China
Post Code: 362342
TEL: (+86)595-86990206
FAX: (+86)595-86990220
WhatsApp: +86-15659082992
Email: boreway02@boreway.net