

## Introduction:

1. 6inch 150mm 7 steps wet use square type diamond polishing pads can easy and fast polishing kinds of natural stone, artificial stone, ceramic, concrete, etc;
2. The standard thickness of these polishing pads is 4mm, diameter is 6inch 150mm, 1 set pads includes 7 pieces,the grit are 50#,100#,200#,400#,800#,1500# and 3000#, you can choose between three and five grit to use (The effect is not as good as a complete set, but the efficiency may be much faster);
3. BOREWAY can provide three quality (Premium, Standard, Economical) diamond polishing pads, do not confuse these pads with cheap thin pads. Color coded for easy identification. Velcro backing for quick pad changes;
4. BUFF polishing pads also could be supplied,it could make materials more brightness.

## Features:

1. Easy to use,polishing efficiency is faster;
2. Logo could be customized after communication;
3. High quality resin powder and diamond are adopted;
4. With BUFF pads, polishing brightness is higher than 95 glossness;
5. Adopt the high-quality nylon sticky cloth, adhesion is good and the reusable is not easy to be damaged.

## Specification:


Model No	Diameter	Thickness	Grit	Quality class	Applicable	Holder
BW-DPP-W-SY6081	150mm	4mm	50# 100# 200# 400# 800# 1500# 3000#	Premium Standard Economical	Natural stone Artificial stone Concretes Ceramics .....	Velcro

Other thickness and diameter can be customized according to need.

## Images:

[Click here to visit our ALL DIAMOND POLISHING PADS.](#)

**boreway**<sup>®</sup>




**boreway**<sup>®</sup>



**boreway**<sup>®</sup>



**boreway**<sup>®</sup>



If you want know more images, please contact us.

[Click here to visit our ALL DIAMOND POLISHING PADS.](#)

**Contact us:**

**Fujian Nanan Boreway Machinery Co.,Ltd.**

**Address:** Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China

**Post Code:** 362342

**TEL:** (+86)595-86990206/(+86)18250633812

**FAX:** (+86)595-86990220

**WhatsApp:** +86-18359335376

**Facebook:** ChoisDong

**Email:** [boreway05@boreway.net](mailto:boreway05@boreway.net)