#### **Product Description**

## 7pcs/set convex wet diamond polishing pads bowl shaped diamond sanding disc for stone concrete

Application: For granite marble artificial stone tile ....polishing. Bowl shaped design for special use.

Stone Grinding 4Inch Flexible **Bowl shaped wet Diamond Polishing Pad** For Granite Marble Stone Professional grade diamond pad for concrete polishing, Good gloss for granite edge polishing, marble glass ceramics and other Material flat or contoured surface polishing.The diamond polishing pad does not change in the color of the stone itself, with glazing fast,good brightness and not fade.

#### Feature:

- 1. Polish quickly, durable and long service life.
- 2. No color left on stone after polishing, good smoothness.
- 3. Sharp, wear-resistant and high efficiency, strong grinding force.
- 4. Use diamond as abrasion and combined with composite material.
- 5. Mainly used for stone, glass, ceramics, crystal, ceramic stone, concrete, etc.

#### Specification: Bowl shaped wet diamond polishing pads diamond sanding disc

Diameter 100mm/4" thickness 3mm, Bowl shaped, M14 thread rubber backer Available grit size: #50, #100, #200, #400, #800, #1500, #3000

#### **Picture:**

7pcs/set convex wet diamond polishing pads bowl shaped diamond sanding disc for stone concrete







More Related Products, Pls click here: Diamond Polishing Pads

### Packing & Delivery:

- 1. Bowl shaped wet diamond polishing pads packing in carton cases;
- 2. When tools are in large quantities, they are packing in wooden cases.

# -DELIVERY-

Less than 45kg, generally delivery by express(Door to Door).



By Air / Sea for batch goods, Airport / Port receiving.

**BY AIR** 



BY SEA



Contact Us:

Fujian Nanan Boreway Machinery Co.,Ltd. Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China. Post Code: 362342 Tel.: 0086-595-86990206 Fax: 0086-595-86990220 Contact: Ally Huang Mobile/WhatsApp: 0086-13559599186 Wechat/Skype: boreway05 Facebook: 13559599186 E-mail: boreway05@boreway.net Website: http://www.diamondtools.top