Diamond Finger Bits are ideal for fast stock removal as well as truing up saw lines, which is designed to cut Granite, Engineered Stone and Marble. Usually mounted on CNC or Radial Arm machines, for hole grinding, anchor and blind hole.Center water feed holes in each bit.Wet use only.**China Diamond Finger Bits Price**

Product illustration



Similar products details parameters

Segmented diamond finger bits	
Diameter	16mm,20mm,22mm,25mm
Length	30mm,40mm,50mm,60mm
Grit	30#,36#,40#,60#,120#
Segment number	4-6个
Processing	Silver welding
Connection	M14,M16,1/2"-G,5/8"-11

Resin filled diamond finger bits	
Diameter	16mm,20mm,22mm,25mm
Length	30mm,40mm,50mm,60mm
Grit	200#
Segment number	4-6个
Processing	Resin filled
Connection	M14,M16,1/2"-G,5/8"-11



Resin diamond finger bits	
Diameter	16mm,20mm,22mm,25mm
Length	30mm,40mm,50mm,60mm
Grit	50#,100#,200#,400# 800#,1500#,2000#
Processing	Resin adhesive
Connection	M14,M16,1/2"-G,5/8"-11

Vacuum brazed diamond finger bits	
Diameter	16mm,20mm,22mm,25mm
Length	30mm,40mm,50mm,60mm
Grit	30#,36#,40#,60#,120#
Processing	Vacuum brazed
Connection	M14,M16,1/2"-G,5/8"-11



Diamond screw core bits	
Diameter	20mm
Length	10mm,20mm,30mm
Grit	40mm,65mm,100mm
Processing	Silver welding
Connection	Segment:M10,M12 Pipe:1/2"-G

Boreway Vacuum brazed, Silver or copper welding diamond finger bits for hole grinding after drill bits, Diameter:25mm 30mm 35mm 40mm 50mm 60mm,Length:40mm 50mm 60mm,Applicable Materials Marble, Granite, Quartz, Artificial Stone And Other Stone.Can Customized according to the needs Shape.

To Learn More About Finger Bit, Please Click: [Diamond Finger Bit Wet Use Manufacturer]

Advantage

Our products export to Brazil, India, Australia, USA, Ukraine, Italy, Poland, Russia , more than 20 different countries . In these overseas markets,our special diamond grinding wheels enjoy a good reputation, we get good feedbacks about their corresponding test result, and also a long lifespan. so, we are confident in our products quality.

Shipping & Expressing

We co-operation with a number of express logistics, such as Debon, SF, EMS, TNT,DHL,UPS and so on.Please contact us if you want other express delivery. And fees will be charged according to the actual.

Precautions

Before use:

1.When grinding exerting less pressure , pressure or drilling too deep will cause slower speed.
2.Keep in a straight line for milling, drilling and milling cutter is best used at a 90-degree. Or substrate may break.
3.Please cool before removing finger drills for it produce a lot of heat when used.
4.Do not use the diamond milling cutter for drilling.Using the diamond drill bit if you want to drill.
5.Please use wear-resistant materials, such as bricks, grinding wheels to reuse the drilling and milling cutter blade.When the diamond finger bit could not move.

After use:

1.First turn off the power, then remove the diamond finger bit.
2.Do not store in a humid environment, so as not to rust.

Factory direct sales



common problem

Size error

Due to some factors in the production process, the product may have a very small error doesn't affect the normal use.

After-sales

If you have any questions, please do not hesitate to contact us, we will give you a detailed answer.

Shipping

We co-operation with a number of express logistics,make sure the goods are in good condition and then signed.

Aberration

Because the reasons for shooting light may have chromatic aberration, chromatic aberration is not quality problem.