


Descriptions:

- **Use Type: Wet Use**
- **Size:** D90x40Tx50H
- **Type:** CNC Standard Stubbing Wheel
- **Stone standard stubbing wheels** is specially designed for calibrating granite, marble, ceramics and well-designed stone processing, providing high precision and smooth surface
- Be designed for stock removal on granite marble by grinding away an excess stone. **Stone standard stubbing wheels** is the fastest way to remove material after cutting out sinkholes.



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Specification:

The normal size of China Factory **Stone Standard Stubbing Wheels:**

Diameter	Segment Height	Inner Hole
90mm	40mm	50mm

To improve the efficiency of standard stubbing wheel, here some machine parameters we suggest:

RPM	Feed Rate	Recommended Depth
4500	400-600MM/Minute	3MM

More normal specification of diamond standard stubbing wheel we supply:

Diameter	50mm, 86mm, 90mm, 100mm
Segment Height/MM	20mm, 30mm, 40mm
Inner Hole	10mm, 50mm

Connection	Φ10-2+2Hole Φ10-3+3Hole Φ50-3+3Hole
Grit No.	30/40#, 60#, 100#, 200#
Machine	CNC Machine & Radial Arm Machine

If you need customization, please contact us

Click Here To Browse More: [Diamond Stubbing Wheel For Suppliers](#)

90mm diameter milling wheels with different heights:



D90×25T×50H



D90x30Tx50H



D90x40Tx50H


Feature:

- 1.Sintering Standard Stubbing Wheels without stone edge damage.
- 2.High efficiency & long lifespan and fast milling speed.
- 3.Perfect balance with zero vibration and stable performance.
- 4.Comparing to other drum wheels, it could avoid breaking the slab.
- 5.High Quality: Unique design has good clarity, can easily remove dust, low noise and safety

Images:

Stone Standard Stubbing Wheels

boreway®



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

boreway®



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net


Application:


1. **Stone standard stubbing wheels** is used on CNC machine.
2. Be used for sink hole on the wash basin, bathtub, sink and other products
3. Also can use for calibrating the stone slab, these wheels have large segments for fast stock removal.





Other Products:





Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang