

**Introduction:**

CNC electroplated profiling wheel for glass is suitable for marble, granite and other stone lines, line

plate molding, can also be used for grinding of ceramics, glass, jewelry and other materials, with no

deformation grinding, fast, good finish, wear resistance good, long life and other characteristics, suitable

for CNC machine tools, milling machine, line machine.

**Features:**

1. Different shapes and sizes are available.
2. Good balance and stable performance.
3. Sintered segment is aggressive for easy and quick stock removal.

**Specifications:**

The followings are the normal specification of our CNC electroplated profiling wheel□

Product Name	Diameter	Thickness	Inner Hole	Application	Shape Type
Diamond grinding wheel	150mm	20/30/40	30	Granite Marble ceramic tile glass	Bullnose Single
	200mm	20/30/40	30		Dupont Single
	250mm	20/30/40	50		Bullnose Half
		20/30/40	50		Radius Single
	300mm				Threshold Single Edge
	350mm	20/30/40	50		Ogee Bullnose
					Bevel Double
					Ogee Double
					Radius Top
					Chamfer
					Other Types

The above specification just for a reference. Other specification can be ordered by customers.

**Picture:**

**boreway®**



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Similar product:**



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Contact Us:**

Fujian Nan'an **boreway** Machinery Co., Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**