

## China Diamond Grinding Tool Wheel Roller Satellite Head Squaring Wheels For Stone Thickness Calibration

### Specification:

**China Diamond Grinding Tool Wheel Roller** for engineered stone, quartz or other allomaterial stone.

the innovative product and tools high quality to make customers process more efficient for different engineered stone.

calibration roller heads: entering calibration, high removal calibration, calibration, pre-finishing, finishing etc wheel as well as the diamond wheel.

Wet use only with sufficient water, Fast & Easy grinding, long life, perfect performance.

The normal size of **China Diamond Grinding Tool Wheel Roller**:

Model	Grit	Thickness(mm)	Hole Size(mm)	Diameter(mm)
BW-DMW-01	24#	60	70	190
	36#	60	70	190
	46#	60	70	190
BW-DMW-02	36#	60	120	200
	46#	60	120	200
	60#	60	120	200

Specially designed tools are available for any standard application.

We can customize tools as per your exact needs.

### Advantage:


1. The grinding wheel has the characteristics of high production efficiency, accurate shape and size.
2. The diamond fixed thickness wheel is sharp and has long service life. Aluminum and nylon materials can be used for steel body to reduce noise.
3. There are normal steel body and silencing matrix.
4. We provide professional and high-quality after-sales service.
5. The sharpness and service life of the milling wheel are 2 times that of the domestic common milling wheel.
6. The grinding wheel enjoys a good reputation in domestic and foreign markets. The

company exports a large number of products to Poland, Italy, Ukraine, Australia, India, Brazil and other markets. The product quality and service have been unanimously recognized and praised by overseas customers.

### Product Details:

#### China Diamond Grinding Tool Wheel Roller


**boreway®**





#### **Applicable Machines:**

**Alloy Rotary Double Layer Concrete Bush Hammer Plate** is used sophisticated welding technology and selecting high quality aluminum alloy to casting, bush hammered's grit can be changed through the adjustment of spring elasticity on bush hammer, manual grinding machine press. Both enlarging spring's interval to reduce spring elasticity and reducing machine's press can enhance bush hammer vibration to make bush hammered face rough. Widely used on granite, marble sandstone to make rough surface.



About Us:





## Our Service:

- 1.Low MOQ: It can meet your trial order need well.
- 2.OEM Accepted: We can produce according to your sample or drawings.
- 3.Good Service: We treat our clients as God with high professionalism and passion.
- 4.Good Quality: We have strict quality control system. Good reputation in the market.
- 5.Fast Delivery: We have big discount from forwarder.

## FAQ:

### **1.How could we know the quality, if we want to order your products?**

Please just test them with a very small order, then you will know the quality. At present,so many people in the world to use Chinese products, because of the high quality and most competitive prices. We are professional manufacturer in supplying diamond tools for more than 8 years. Anyway, confirming our products quality, a small trial order for testing will be necessary.

## 2.Can you offer free samples?

We don't offer free samples, according to our many years experience, we think people get the samples by paying, they will cherish and appreciate more what they get. But we are willing to give our potential customers a special discount which they are used to do a testing. It is very important to give us feedback, we appreciate it.

## 3.Does your company accept custom-made?

Surely, we accept it. Including different color, grit etc. We also can mark your own logo and brand on the pad. Any new products you want us to produce for you, just send us your drawing or sample, we will produce the same one. We will not sell this kind of products to other customers only if we get your permission.

### Contact Us:

Fujian Nan'an **boreway**® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**