

Product Description

The bush hammer will be worn out after a long period of trial use. You can replace it with a new rotary bush hammer roller.

To take out the horseshoe shaped bush hammer roller from the machine, just hit the base with a small hammer, and the bush hammer roller can be replaced.

Borway owns the rotary bush hammer tool production room, which can be created Make a safe non-slip surface on natural stones.

- Prepare the floor before laying a new coating.
- Eliminate any surface and create an antique surface.
- Remove old glue and resin coatings, especially thick resins.
- Expose the aggregate to the concrete floor to prepare for concrete polishing.

Feature:

1. Use for marble and other soft stones.
2. Litchi surface can be used in outdoor dry hanging, square floor, staircase surface and many other scenes.
3. [Bush Hammer Roller Supplier China](#) For stone surface fabricating, making bush hammered effect for stone products.
4. Creates slip-resistant finish on marble, breaks down coatings standard diamonds can't touch, prepares surface for application of thin-set overlay.

Product Specification:

The Following Are Normal Specifications **Frankfurt Bush Hammer For Marble:**

| Roller Material | Segment No. | Base Type | Use Machine |
|-----------------|-------------|------------------------------|----------------------------|
| Steel | Multi Point | Horseshoe/ Frankfurt Base | Automatic Grinding Machine |

The above specifications is only for reference, other specifications may be available as per customer's demand.

More Normal Specification Of Rotary Bush Hammer Roller:

| Model | Out Diameter | Wheel Width | Segment Quantity | Segment Diameter | Remark |
|------------|--------------|-------------|------------------|--|-----------------------------|
| BW-BHR4530 | 45 | 22 | 30 | 3.6 4.5 4.6 4.7 6.0 8.0 | With Stand Without Stand |
| BW-BHR5330 | 53 | 30 | 30 | | |
| BW-BHR5530 | 55 | 22 | 30 | | |
| BW-BHR5545 | 55 | 22 | 45 | | |
| BW-BHR5545 | 55 | 30 | 45 | | |
| BW-BHR5545 | 55 | 39 | 45 | | |
| BW-BHR5545 | 55 | 53 | 45 | | |
| BW-BHR5545 | 55 | 55 | 45 | | |
| BW-BHR5560 | 55 | 43 | 60 | | |
| BW-BHR8060 | 80 | 55 | 60 | | |
| BW-BHR5972 | 59 | 53 | 72 | | |
| BW-BHR6077 | 60 | 53 | 99 | | |
| BW-BHR3307 | 33 | 6 | 7 | Star Type | |
| BW-BHR3310 | 33 | 6 | 10 | | |
| BW-BHR4910 | 49 | 6 | 10 | | |
| BW-BHR4915 | 49 | 6 | 15 | | |
| BW-BHR4920 | 49 | 6 | 20 | | |

More Normal Specification Of Rotary Bush Hammer Plate:


| Model | Out Diameter | | Wheel Width | Segment Quantity |
|------------|--------------|-----|-------------|------------------|
| | Inch | mm | | |
| BW-BH12514 | 5 | 125 | 3 | 14 |
| BW-BH12514 | | | 4 | 14 |
| BW-BH12520 | | | 3 | 20 |
| BW-BH12520 | | | 4 | 20 |
| BW-BH12530 | 5 | 125 | 3 | 30 |
| BW-BH15014 | 6 | 150 | 4 | 14 |
| BW-BH12520 | 6 | 150 | 4 | 20 |
| BW-BH15045 | 6 | 150 | 3 | 45 |
| BW-BH15030 | | | 4 | 30 |
| BW-BH20045 | 8 | 200 | 4 | 45 |
| BW-BH20030 | | | 6 | 30 |
| BW-BH25045 | 10 | 250 | 5 | 45 |
| BW-BH25030 | | | 6 | 30 |
| BW-BH30045 | 12 | 300 | 6 | 45 |
| BW-BH30030 | | | 9 | 30 |

| | | | | |
|------------|----|-----|----|----|
| BW-BH35045 | 14 | 350 | 9 | 45 |
| BW-BH35030 | | | 12 | 30 |

Can customize the size of other rotary bush hammers roller as required.


Product show

**China Frankfurt Dense Tooth Bush Hammer Roller For Marble Slab Processing
Manufacturer & Suppliers**



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Sandblasting Surface Effect 





Frankfurt Bush Hammer Roller--Physical display of various styles:

45 Teeth

60 Teeth

72 Teeth

99 Teeth



Vacuum Brazing

Steel



Application:

1. For floor preparation before laying new coatings.
2. To remove old glue and resin coatings, in particular thick resins.
3. To expose the aggregate in concrete floors to prepare for concrete polishing.
4. [**China Frankfurt Bush Hammer Manufacturer**](#) Use as a scarifying machine with the advantage that it is aggressive but gentle enough not to “dig” uncontrollably into the floor surface.



Marble



Granite



Quartz



Sandstone



Limestone



Concrete Floor



Asphalt Pavement

FAQ

1.Can you accept OEM orders?

Yes, with professional design team, OEM orders are highly welcome.

2.Are you factory or trade company?

We are factory. And we have ourselves trading company.

3.Will you provide some spare parts of the machines?

Yes, of course.



Contact Us:

Fujian Nanan *boreway*® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang