Introduction:

This diamond segment router bit is widely used on portable profiling machines for processing the edge of stone kitchen tops,

vanity tops, counter tops, table tops etc. We offer a wide range & shapes with different sizes to satisfy your exact profiling needs.

Features:

- 1. Different shapes and sizes are available.
- 2.Good balance and stable performance.
- 3. Sintered segment is aggressive for easy and quick stock removal.

Specifications:

The followings are the normal specifications of our concrete router bit:

Product Name	Position	Grit	Diameter	Thickness	Stone Shape	Spindle
Diamond Segment Router Bit	Pos1	30/40#	50-125mm	20mm	A, B, D, E,F, G, H, I,	M8
	Pos2	40/50#		30mm	L, M,N, O,P,Q,S,T,U,	I I
	Pos3	80/100#			V,WF,DD,DC etc.	M14
	Pos4	170/200#		50mm		1/2 "Gas
	Pos5	400#				
	Pos6	600#				
	Pos7	1000#				
	Pos8	Optional				

The above specifications are for reference, other specifications can be ordered by customers.



There are some more products we supply:





Fujian Nanan frameway Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **Sepanding** Fax: (+86)595-86990220

■ Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang