

Introduction:

The normal size of **Continuous rim router bit for polishing granite:**

| Product Name | Position | Grit No. | Diameter | Thickness | Stone Shape | Spindle |
|--------------------|----------|----------|----------|------------------------------|---|--|
| Diamond router bit | Pos 1 | 30/40# | 50-125mm | 20mm 30mm 40mm 50mm | A, B, D, E,F, G, H, I, L, M,N, O,P,Q,S,T,U, V,WF,DD,DC etc. | M8 M10 M14 1/2 "Gas 22mm 35mm |
| | Pos 2 | 40/50# | | | | |
| | Pos 3 | 80/100# | | | | |
| | Pos 4 | 170/200# | | | | |
| | Pos 5 | 400# | | | | |
| | Pos 6 | 600# | | | | |
| | Pos 7 | 1000# | | | | |
| | Pos 8 | Optional | | | | |

Other connection and specification can be customized according to need.

Continuous rim router bit for polishing granite are premium diamond bits for creating shapes or profiles on different types of stone. We offer several profile shapes in different grits to ensure you have all the options for getting the job done.

1. Using sequence: from rough grit to fine, finally polishing.
2. **Continuous rim router bit for polishing granite** are used for CNC machine or portable machine processing the granite,marble,other stones and the counter.Their merits are high efficiency of production,exact figure.
3. The following are different shapes design , including : A, B, D, E, F, G, H, I, L, M, N, O, P, Q, S, T, U, V, WF, DD, DC

Feature:

1. Good balance and stable performance.
2. Sintered segment is aggressive for easy and quick stock removal.
3. CNC granite diamond polishing wheels have different shapes and sizes are available.

Images:

Continuous rim router bit for polishing granite

boreway®



boneway®



boreway®



[Click Here To Browse More Sizes And Shapes Of Router Bits](#)

Contact us:

Fujian Nanan boreway® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /  **Fax:** (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang

