

Introduction:

1. Segmented diamond stubbing wheels usually used for sink hole on the wash basin, bathtub, sink and other products;
2. Stubbing wheels also can use for calibrating the stone slab, these wheels have large segments for fast stock removal;
3. The diameter of the stubbing wheels is 100mm, segment height is 20mm, connection is 50mm, diamond segment type is segmented, the wheels usually used on CNC machines;
4. We offer a variety of different grits, types, and sizes of stubbing wheels, the stubbing wheels can process many kinds materials.

Features:

1. With feature of high efficiency, accuracy in shape and size;
2. Stubbing wheels can process variety materials, wide applicability;
3. Other specifications can be customized after communication.

Specification:


Diameter	Segment Height	Inner Hole	Connection	Grit	Machine
50	20		$\Phi 10-2 + 2\text{Hole}$	30/40#	CNC machine
86	25	10	$\Phi 50-3 + 3\text{Hole}$	60#	
90	30	50	$\Phi 50-3 + 3\text{Hole}$	100#	
100	40		$\Phi 50-3 + 3\text{Hole}$	120#	

Other connection and specification can be customized according to need.

Images:



boreway®



boreway®



boreway®



If you want know more images, please contact us.

Related products:

[D86*30T*50H diamond heavy duty stubbing wheel with adapter](#)



Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206

FAX: (+86)595-86990220

Mobilephone/WhatsApp: (+86)13559599186

Wechat: boreway05 Facebook:13559599186