Introduction:

1.D20x40Tx1/2”G Diamond Finger Drill Bit For Processing Stone Sink are usually use after diamond core drill bits, fast removing dust,diamond sink wheel.
2.They are ideal for fast stock removal as well as truing up saw lines, which is designed to cut granite, engineered stone and marble,counter tops, kitchen tops and basins.
3.Usually mounted on CNC or Radial Arm machines, for hole grinding, anchor and blind hole.
4.Center water feed holes in each bit.
5.Please vertical using and add water when grinding,mostly for side grinding.

Features:

1.Faster Speed and Lasting longer
2. Less Noise and Low Ampere

Specification:

The normal size of D20x40Tx1/2”G Diamond Finger Drill Bit For Processing Stone Sink :

Diameter	Bore (mm)	Segment Length	Segment No.
20mm (3/4")	1/2 Gas (Male Thread) M14 5/8"-11	40mm 45mm 50mm 60mm	4-6pcs
25mm (1")			
30mm (1-1/4")			
35mm (1-3/8")			
40mm (1-5/8")			
50mm (2")			
60mm (2-3/8")			

The above specifications are for reference, other specifications can be ordered by customers.
Click Here To Browse More Sizes And Shapes Of Diamond Finger Bit

Images:

D20x40Tx1/2”G Diamond Finger Drill Bit For Processing Stone Sink

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery CO.,Ltd.
ADD:Shuitou Town,Quanzhou,Fujian,China
Post Code:362342
TEL:(+86)595-86990206
FAX:(+86)595-86990220
Skype:boreway02
Whatsapp:(+86)18359335376
Facebook:BorewaySherry
Wechat:Sherry_154
Email:boreway02@boreway.net