Introduction:

D75x20Tx20H B shape 1/4 Round Vacuum Brazed Diamond Grinding

Wheel are used for profiling and polishing the edge,

side of stone ,elevator door cover and frame of fireplace .Their merits are extremely high glossy surface , and high accuracy in size and shape.

Features:

- 1. Different shapes and sizes are available.
- 2.Good balance and stable performance.
- 3. Sintered segment is aggressive for easy and quick stock removal.

Specifications:

The followings are the normal specification of our D75x20Tx20H B shape 1/4 Round Vacuum Brazed Diamond Grinding Wheel:

<u>, , , , , , , , , , , , , , , , , , , </u>					
Product Name	Diameter	Thickness	Inner Hole	Application	Shape Type
	150mm	20/30/40	30		Bullnose Single
					Dupont Single
	200mm	20/30/40	30		Bullnose Half
				Granite	Radius Single
Diamond	250mm	20/30/40	50	Marble	Threshold Single Edge
grinding				Other stone	Ogee Bullnose
wheel		20/30/40	50		Bevel Double
	300mm				Ogee Double
	350mm	20/30/40	50		Radius Top
					Chamfer
					Other Types

The above specification just for a reference. Other specification can be ordered by customers.

Picture:

D75x20Tx20H B shape 1/4 Round Vacuum Brazed Diamond Grinding Wheel





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com



Related Product: D75x20Tx20H Vacuum Brazed Grinding Wheel





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery CO.,Ltd.

ADD:Shuitou Town,Quanzhou,Fujian,China

Post Code:362342

TEL:(+86)595-86990206 FAX:(+86)595-86990220

Skype:boreway02

Whatsapp:(+86)18359335376

Facebook:Sherry Huang Wechat:Sherry 154

Weenac.Sherry_154

Email:boreway02@boreway.net