Introduction:

1. Diamond stubbing wheels usually used for sink hole on the wash basin, bathtub, sink and other products;
2. Stubbing wheels also can use for calibrating the stone slab, these wheels have large segments for fast stock removal;
3. The diameter of the stubbing wheels is 90mm, segment hight is 25mm, connection is 10mm, diamond segment type is continious rim, the wheels usually used on CNC machines;
4. We offer a variety of different grits, types, and sizes of stubbing wheels, the stubbing wheels can process many kinds materials.

Features:

1. With feature of high efficiency,accuracy in shape and size;
2. Stubbing wheels can process variety materials, wide applicability;
3. Other specifications can be customized after communication.

Specification:

Diameter	Segment Height	Inner Hole	Connection	Grit	Machine
50 86 90 100	20 25 30 40	10 50	Φ10-2 + 2Hole Φ50-3 + 3Hole Φ50-3 + 3Hole	30/40# 60# 100# 120#	CNC machine

Other connection and specification can be customized according to need.

Images:

boreway®
D90x25T
D90x25T

boreway®

boreway®
D90x25T

If you want know more images, please contact us.

Related products:

D50*25T*10H continious standard diamond stubbing wheel

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.
Address: Huahui Center 605, Shuitou Town,Quanzhou, Fujian, China.
Post Code: 362342
Tel.: 0086-595-86990206
Fax: 0086-595-86990220
Sales: Ally Huang
Mobile/WhatsApp: 0086-13559599186
Wechat: boreway05
Skype: boreway05

Facebook: 13559599186
E-mail: boreway05@boreway.net