

## Product Description

Diamond segment has a thickness of 6mm, a length of 40mm and a height of 15mm, diamond cutting segment for bridge cutting machine, desktop cutting machine.

**Diamond Segment For Cutting Andesite Manufacturer** can use diamond saw blades of 400mm, 500mm, 600mm, 900mm, 1000mm, 1600mm and other diameters.

The diamond segment cutting tip of this product is fan shape, which is very suitable for cutting andesite. It can cut quickly, flat and without edge collapse.

## Feature:

1. Fast cutting, no chipping, easy opening, long life.
2. Hot sintering diamond cutting segment, good cutting result: smooth cutting, flat surface and even size.
3. Stable cutting, narrow cutting gap, stone waste reduction segment is easy for diamond opening.

## Product Specification:

The Following Are Normal Specifications **Diamond Cutting Segment For Bridge Cutting Machine:**

Blade Diameter	Segment Size (LxWxH)	Segment Shape	Segment Material	Machine
600mm (24 Inch)	40x6.0x15mm	Fan Shape	Diamond Powder, Metal Powder	Bridge Cutting Machine, Desktop Cutting Machine

The above specifications is only for reference, other specifications may be available as per customer's demand.

Blade Diameter	Segment Size (LxWxH)	Application
400mm	40x3.5x15mm	Andesite
400mm	40x3.6x15mm	Andesite
500mm	40x4.2x15mm	Andesite
500mm	40x4.5x15mm	Andesite
600mm	40x5.0x15mm	Andesite
800mm	40x6.0x15mm	Andesite
900mm	40x7.0x15mm	Andesite
1000mm	40x7.0x15mm	Andesite

1600mm	24x9.0x15mm	Andesite
--------	-------------	----------

**Other Specifications Of Cutter Segment:**

Diameter		Thickness	Teeth	Segment Size			Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	H	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite

**Multi Blade And Single Disc Saw Blade Specifications:**


Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

## Product Show

### 600mm Hot Pressing Sintering Diamond Cutting Segment For Bridge Cutting Machine







### **Application:**

Process: cold pressing, hot pressing sintering.

**Diamond Segment Cutting Tip** wet use for 600mm saw blade.

Segment Weld On Circular Saw Blade For Cutting Andesite.

Diamond cutting segment for bridge cutting machine, desktop cutting machine.



## FAQ

### **1. What is your terms of payment?**

We accept DHL, Fedex, TNT, UPS, etc.

### **2. Will the company reduce cost and quality for price?**

To reduce other unnecessary costs

To find good agents for lower shipping fees

To find the right suppliers of product materials

It will never reduce the quality of the product. We can optimize the product process and take some measures to protect the quality of the product.

### **3. What are our advantages?**

Our teams is professional and the members have good study of the diamond tools. We offer

quick response.

Each message or email will be replied within 24 hours. In the past few decades, Boreway diamond tools has made many orders of the OEM/ODM successfully .

Some of the OEM/ODM services are free of charge!



### Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**