### **Product Description**

The size of 40x3.6x15mm **diamond segment for cutting andesite**, is specially designed for 400mm diamond saw blade and Anshan rock. The height of the cutter head is 12mm, 15mm and 20mm.

It is aimed at the Indonesian market. Although the quality is the same as that of Wan long cutter head, the performance of the cutter head is the same as that of Wan long segment.

As a professional stone cutting segment wholesales, we produce various styles of saw blade heads, including K shape, M shape, layer type, K type, V type, grooved type, M type, tape type, etc.

#### Feature:

- 1.Long lifespan and stable performance.
- 2.Good cutting result and high efficiency.
- 3. **Diamond Segment Cutting Supplier China**, low noise, easy and fast cutting, no edge broken.
- 5. When using this **diamond segment for cutting andesite**, the maximum recommended speed is 2150 RPM.
- 4.Competitive price, good cutting speed, diamond blade are made of good metal bond with high quality diamond grit.

### **Product Specification:**

The Following Are Normal Specifications **Diamond Segment For Cutting Andesite:** 

Blade Diameter	Segment Size (LxWxH)	Welding Process	Segment Process	
400mm	40X3.6x15mm	High Frequency Welding	Cold Pressing,Hot Pressing Sintering	

The above specifications is only for reference, other specifications may be available as per customer's demand.

#### Other Specifications Of Diamond Segments For Cutting Andesite, Indonesia

Blade Diameter	Segment Size (LxWxH)	Application	
400mm	40x3.5x15mm	Andesite	
400mm	40x3.6x15mm	Andesite	

500mm	40x4.2x15mm	Andesite
500mm	40x4.5x15mm	Andesite
600mm	40x5.0x15mm	Andesite
800mm	40X6.0x15mm	Andesite
900mm	40x7.0x15mm	Andesite
1000mm	40x7.0x15mm	Andesite
1600mm	24x9.0x15mm	Andesite

## **Other Specifications Of Cutter Segment:**


Dian	neter	Thickness	Teeth		Segment S	Size	Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	Н	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite


# Multi Blade And Single Disc Saw Blade Specifications:

Blade Diameter	Thickness	Segment Size	Cutting Stone
#	mm	LxWxH	#
2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
48"/1200mm	4.0	24x5.5x8H(10H)	Marble
48"/1200mm	4.5	24x6.0x8H(10H)	Marble
48"/1200mm	5.0	24x7.5x8H(10H)	Marble
48"/1200mm	5.5	24x8.0x8H(10H)	Marble
64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble
	# 2200-600 Multi 2200-600 Multi 2200-600 Multi 2200-600 Multi 2500-800 Multi 2500-800 Multi 2500-800 Multi 1600-960 Multi 1600-960 Multi 40"/1000mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm	# mm 2200-600 Multi 4.5 2200-600 Multi 5.0 2200-600 Multi 5.5 2200-600 Multi 6.5 2500-800 Multi 5.5 2500-800 Multi 6.5 2500-800 Multi 7.2 1600-960 Multi 6.5 1600-960 Multi 7.2 40"/1000mm 4.5-5.0 48"/1200mm 5.0-5.5 64"/1600mm 4.5 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0	# mm LxWxH  2200-600 Multi 4.5 24x6.4/5.6x13H(15H)  2200-600 Multi 5.0 24x7.0/6.2x13H(15H)  2200-600 Multi 5.5 24x7.4/6.6x13H(15H)  2200-600 Multi 6.5 24x8.4/7.6x13H(15H)  2500-800 Multi 5.5 24x7.4/6.6x13H(15H)  2500-800 Multi 5.5 24x8.4/7.6x13H(15H)  2500-800 Multi 7.2 24x9.2/8.4x13H(15H)  1600-960 Multi 7.2 24x9.2/8.4x13H(15H)  1600-960 Multi 7.2 24x9.2/8.4x13H(15H)  40"/1000mm 4.5-5.0 24x7.0/6.2x13H(15H)  48"/1200mm 5.0-5.5 24x7.5/6.5x13H(15H)  48"/1200mm 4.0 24x5.5x8H(10H)  48"/1200mm 5.0 24x7.5x8H(10H)  48"/1200mm 5.0 24x7.5x8H(10H)  48"/1200mm 5.0 24x7.5x8H(10H)  48"/1200mm 5.0 24x7.5x8H(10H)  48"/1200mm 5.5 24x8.0x8H(10H)  64"/1600mm 6.5-7.2 24x9.2x10H(8H)

# **Product show**

China 400mm Diamond Saw Blade Segment For Cutting Andesite In Indonesian Market







### **Application:**

High frequency welding segment For bridge cutting machine, desktop cutting machine, etc Our diamond segment is used for cutting all kinds of sandstone, granite, marble, slate, bluestone, limestone, etc.

Characteristics of products: **Wet Use Diamond Segment** fast cutting speed, good life span, stable performance.

Diamond segment types include the sandwich segment, multi-layer segment and orderly arrayed segment and carbide tips, every type is designed for different stone or concrete, tile, ceramic, asphalt, floor to reduce segment cost and increase cutting efficiency.





### **FAQ**

### 1. Is there cheap shipping cost to import to our country?

For small order, Express will be the best, And for bulk order, sea ship way is best but take longer time. For urgent orders, we suggest via air to airport or by Express send to your door.

### 2. How to transport the product?

We will take good protection measures for the products, protect the integrity and safety of the products, and provide other methods of transportation such as sea, land, and air to serve you, so that the products can reach the customer's door perfectly and safely.

#### 3. What are our advantages?

Our teams is professional and the members have good study of the diamond tools. We offer quick response. Each messege or email will be replied within 24 hours. In the past few decades, Boreway diamond tools has made many orders of the OEM/ODM successfully . Some of the OEM/ODM services are free of charge!



















# **Contact Us:**

# Fujian Nanan homeway Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

**TEL:** (+86)595-86990206 / **Sepanding** Fax: (+86)595-86990220

■ Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

**Lyon Chang**