

Descriptions:



4" 4.5" 5" Diamond Single Row Grinding Cup Wheel For Concrete Masonry

Using **Single Row Grinding Cup Wheel** is the most efficient way to grind from marks and imperfections in concrete, as well as masonry, stone and other vonstruction materials.

Single Row Grinding Cup Wheel. This single row cup whell is designed for fast removal rates and long lifespan.



Specifications:

The following are normal specifications Single Row Grinding Cup Wheel:

Name:	Single Row Grinding Cup Wheel
-------	-------------------------------

Bore:	M14, 22.23, 5/8"-11
Blank Material:	45Mn Steel
Surface Finishing:	Color Painting
Grits Available:	Coarse, medium, fine
Material:	Diamond And Metal Powder
Bond Available:	Soft Bond, Medium Bond, Hard Bond
Machine:	Angle Grinder or General Grinding Machine
Diameter:	4 Inch (D100MM),4.5 Inch (D115mm),5 Inch (D150mm),7 Inch (D180MM)

Specially designed tools are available for any standard application. We can Tailor your tools to your specific needs.

Product Details:

Single Row Grinding Cup Wheel:



4 Inch



4.5 Inch




5 Inch



SINGLE ROW GRINDING CUP WHEEL



Fast Grinding
5MM workable thickness
3MM Strong Core Steel



4"




4.5"



5"



E6 diamond powder ,one of the best quality diamond powder in the world.



Diamond powder under the microscope

Outer Diameter:

Outer Diameter		Segment Size(mm) (L*W*H)	Core	Diamond Grit
Inch	mm			
4	100	30*5.0*8.0	22.23, M14, 5/8"-11 etc.	30#, 50#, 100#
4.5	115	30*5.0*8.0		30#, 50#, 100#
5	125	40*5.0*8.0		30#, 50#, 100#
7	180	28*5.0*8.0		30#, 50#, 100#

[If you are interested in our products, you can click on me.](#)

Applications:

Single Row Grinding Cup Wheel Granite, marble, concrete products, masonry material and all types of natural stone.





Choice Grit:

Single Row Grinding Cup Wheel metal bond diamonds high grinding efficiency and low grinding force generates less heat in the grinding process.

1) Coarse grit: 16#,24#,25#,30# etc.

Could be used for un-even concrete floors, rough grinding preparation on floor or old floor renovation.

2)Medium grits: 36#, 50/60# , 60/80# etc.

Could be used for all kinds of concrete and terrazzo floors, grinding preparation on floor or old floor renovation.

3) Fine grits: 80/100# , 100/120#, 120/150#, 200# etc.

Could be used for all kinds of concrete and terrazzo floors, find grinding preparation on floor or old floor renovation before polishing.

Advantages:

1. Single Row Grinding Cup Wheel venting holes for fast, dry or wet grinding with long life.
2. Grinding segments with heat treated steel bodies which provide increases durability and wheel life.
3. The high diamond concentration provides for a faster cut rate while the high quality of the diamonds provides longer blade life.

Features:

1. Venting holes for fast, dry or wet grinding with long life.
2. Turbo Row Cup Wheel is ideal for beveling, smoothing and shaping.
3. Grinding segments with heat treated steel bodies which provide increases durability and grinding life.
4. Single Row Grinding Cup Wheel suitable for use on grinding on marble, tile, concrete, and rock.
5. The high diamond concentration provides for a faster cut rate while the high quality of the

diamonds provides longer blade life.

Related Products:



Boreway Machinery Co., Ltd
www.diamondtools.top
www.boreway.net



Boreway Machinery Co., Ltd
www.diamondtools.top
www.boreway.net

[4 Inch Diamond Grinding Cup Wheel](#)

[4.5 Inch Diamond Grinding Cup Wheel](#)

About us:



Our service:

1. Low order quantity: It can meet the test order you need.
2. Fast delivery: We get great discounts from freight forwarders.
3. OEM Acceptable: We can produce according to your samples or drawings.
4. Good quality: We have a strict quality control system. Has a good reputation in the market.
5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

Please note:

1. Please provide items before purchase.
2. Please provide the model number before purchase.
3. Other specifications can be customized according to requirements.

Contact us:

Fujian Nanan *boreway*® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 13559599186



E-mail: boreway05@boreway.net



Kelly Huang