

Introduction:

Boreway Copper Bond diamond polishing pads and Copper Bond diamond hand pads are not simply copper flakes in the resin. These are full copper bonded diamond pads that will substantially last longer than any resin bonded diamond pads on the market. The Boreway Copper Bond Hook and Loop (Velcro) Diamond Polishing Pads are designed for fast stock removal on Granite, Marble, Concrete, Engineered Stone. Although they are full copper pads and 3mm thick, they are still very flexible for bullnose, radius, and bowl use. These Copper Diamond Polishing Pads can be used wet .Use the 30, 50, 100, 200 grit to shape and start the polishing process. They will seamlessly switch over to the standard 400 grit polishing pads to finish the polish.

Feature:

- 1.Wet use only
- 2.Velcro backed
- 3.Agressive and durable
- 4.Maximum speed: 4500 RPM
- 5.Best use with hard granite and concrete

Specification:

Specification of Diamond copper resin hand polishing Pads for granite marble concrete


Material	Diameter	Thickness	Grit	Quality class	Applicable	Holder
Diamond&metal	100/125mm	3mm	50# 100# 200# 400#	Premium Standard Economical	Natural stone Artificial stone Concretes Ceramics	Velcro

Other thickness and diameter can be customized according to need.

Picture:


Diamond copper resin hand polishing Pads for granite marble concrete

boreway®




Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206

FAX: (+86)595-86990220

WhatsApp:+86-18650679939

Email:borewa02@boreway.net