

Product Description

Double layer bush hammer plate with 6 roller, rotary bush hammer plate is Durable metal and diamond compound, [Wholesales Bush Hammer Rollers](#), effective for grinding natural stones and concrete to get bush hammer effect.

We Supply different granularities and sizes as requested for the diamond roller, carbide alloy double layer bush hammer plate create a rough slip surface to increase friction.

Bush Hammer Plate is mainly designed for texturing and roughening of smooth stone surfaces and is especially important for performing operations to create anti-slip surfaces on stone floors and steps, etc.

Vacuum brazing double layer plate is scrollable and highly efficient.

Feature:

1. Used to make sandblasted and litchi surface.
2. Segment quantity in per roller: 30PCS, 45PCS and 60PCS etc.
3. Roller quantity in per bush hammer: 3PCS, 4PCS, 5PCS, 6PCS, 9PCS and 12PCS.
4. [Bush Hammer Nozzle Supplier China](#), plate diameter: 125MM, 150MM, 200MM, 250MM, 300MM, 350MM, 400M, 450MM.

Product Specification:

The Following Are Normal Specifications **Double Layer Bush Hammer Plate With 6 Roller:**

Diameter	Roller No.	Layer Number	Roller Type	Application
300MM (12 Inch)	6 Pcs	Two Layer	Vacuum Brazing Roller, Carbide Alloy Roller	Concrete, Marble, Granite, Asphalt Pavement

The above specifications is only for reference, other specifications may be available as per customer's demand.

More Normal Specification Of Rotary Bush Hammer Roller:

Model	Out Diameter	Wheel Width	Segment Quantity	Segment Diameter	Remark
-------	--------------	-------------	------------------	------------------	--------

BW-BHR4530	45	22	30	3.6 4.5 4.6 4.7 6.0 8.0	With Stand Without Stand
BW-BHR5330	53	30	30		
BW-BHR5530	55	22	30		
BW-BHR5545	55	22	45		
BW-BHR5545	55	30	45		
BW-BHR5545	55	39	45		
BW-BHR5545	55	53	45		
BW-BHR5545	55	55	45		
BW-BHR5560	55	43	60		
BW-BHR8060	80	55	60		
BW-BHR5972	59	53	72		
BW-BHR6077	60	53	99		
BW-BHR3307	33	6	7	Star Type	
BW-BHR3310	33	6	10		
BW-BHR4910	49	6	10		
BW-BHR4915	49	6	15		
BW-BHR4920	49	6	20		

More Normal Specification Of Rotary Bush Hammer Plate:


Model	Out Diameter		Wheel Width	Segment Quantity
	Inch	mm		
BW-BH12514	5	125	3	14
BW-BH12514			4	14
BW-BH12520			3	20
BW-BH12520			4	20
BW-BH12530	5	125	3	30
BW-BH15014	6	150	4	14
BW-BH12520	6	150	4	20
BW-BH15045	6	150	3	45
BW-BH15030			4	30
BW-BH20045	8	200	4	45
BW-BH20030			6	30
BW-BH25045	10	250	5	45
BW-BH25030			6	30
BW-BH30045	12	300	6	45
BW-BH30030			9	30
BW-BH35045	14	350	9	45
BW-BH35030			12	30


Can customize the size of other rotary bush hammers roller as required.

Product show

300mm Double Layer Bush Hammer Plate With 6 Grinding Roller








Application:

Bush hammer bit for radial arm polishing machine, floor grinder.

Double layer bush hammer plate with 6 roller for grinding concrete, marble, granite, asphalt pavement.

Bush hammer plate for sandblasting surface, carbide bush hammer roller can create litchi surface.



Sandblasting Surface



Litchi Surface



Marble



Granite



Quartz



Sandstone



Limestone



Concrete Floor



Asphalt Pavement

FAQ

1. What can Bush Hammers do?

Surface Prep for coatings.

Quickly expose large aggregate.

Remove hard coatings and overlays.

2. Will the teeth of the bush hammer roller fall off ?

Of course not, We use high-strength flux to weld the carbide tip to the grinding wheel. The grinding wheel is sturdy and durable, with a long life, and the tip is not easy to fall off.

3. Do you provide many kinds of Bush hammer tool?

We provide 30s, 45s, 60s, 80s, 100s, 120s, 150s, 180s, 200s, 250s, 300s, 350s, 400s, 450s, 500s, 600s, 800s, 1000s and other various bush hammer wheels, as well as multi-brand floor lychee surface grinding blocks and grinding discs.



Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang