#### Introduction:

Boreway **Double Row Segmented Diamond Cup wheel supply double row surface grinding wheel for granite stone,** This Diamond grinding wheels are mainly used for grinding and polishing Concrete, Masonry, Granite Marble and hard construction materials.

### Features:

- 1. Technology: Sintered;
- 2. Long lifespan and stable performance;
- 3. Low cost, high efficient, excellent service;
- 4. Effective in the process of grinding and polishing;
- 5. Special bond for hard material, granite, stone, etc.

# **Specification:**

# **Double Row Segmented Diamond Cup wheel supply double row surface grinding wheel**

Diameter		Bore	Segment size	Grits
4 inch	105mm	22.23mm (7/8") with 16mm washer	5mm thickness	40-50
4.5 inch	115mm	22.23mm	5mm thickness	40-50
5 inch	125mm	22.23mm	5mm thickness	40-50
7 inch	180mm	22.23mm	5mm thickness	40-50

Other specifications can be customerized according to customer's requirements.

#### **Pictures:**












































Black Color Model, Pls click here: <u>Diamond Double Row Grinding Cup Wheel</u>

More Related Products, Pls click here: Stone Grinding and Polishing Tools

# Packing & Delivery:

- 1. Tools packing in carton cases;
- 2. When tools are in large quantities, they are packing in wooden cases.

# -DELIVERY-

Less than 45kg, generally delivery by express(Door to Door).













By Air / Sea for batch goods, Airport / Port receiving.





## BY SEA



#### Contact Us:

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Huahui Center 605, Shuitou Town, Quanzhou, Fujian, China.

**Post Code:** 362342

**Tel.:** 0086-595-86990206 **Fax:** 0086-595-86990220

Sales: Ally Huang

Mobile/WhatsApp: 0086-13559599186

Wechat: boreway05 Skype: boreway05

Facebook: 13559599186

**E-mail:** boreway05@boreway.net