

Construction Cutting and Drilling Core Bit Segments for Heavily Reinforced Concrete:

Silver welded diamond segment core drill bit wavy teeth shape of drill bits diameter 22mm-356mm provide smooth and fast drilling for kinds of concrete.



Drilling Core Bit Segments for Heavily Reinforced Concrete:

Under same bond conditions, the drilling speed of this type segments is much faster than normal flat

segments, and all time the drilling speed is same.

Drilling Core Bit Segments for Heavily Reinforced Concrete:

Ideal debris removal and bettering cooling, reduces frictional heat gain and noise produced by resonance effectively.

The following specifications of **Drilling Core Bit Segments for Heavily Reinforced Concrete:**

Code No.	Diameter	Segment Size	SegmentNo.
BW-DS-DB-C04-01	7/8"(22mm)	17/12x3.0x10	3
BW-DS-DB-C04-02	1"(25mm)	17/12x3.0x10	4
BW-DS-DB-C04-03	1.18"(29mm)	17/12x3.0x10	4
BW-DS-DB-C04-04	1.25"(32mm)	16x3.0x10	4
BW-DS-DB-C04-05	1.38"(35mm)	16x3.0x10	4
BW-DS-DB-C04-06	1.50"(38mm)	16x3.0x10	5
BW-DS-DB-C04-07	1.63"(42mm)	16x3.0x10	5
BW-DS-DB-C04-08	1.75"(45mm)	16x3.0x10	6
BW-DS-DB-C04-09	1.88"(48mm)	16x3.0x10	6
BW-DS-DB-C04-10	2"(52mm)	16x3.0x10	7
BW-DS-DB-C04-11	2.25"(57mm)	22x3.5x10	5
BW-DS-DB-C04-12	2.50"(63mm)	22x3.5x10	6
BW-DS-DB-C04-13	2.75"(70mm)	22x3.5x10	7
BW-DS-DB-C04-14	3"(76mm)	22x3.5x10	8
BW-DS-DB-C04-15	3.25"(82mm)	22x3.5x10	9
BW-DS-DB-C04-16	3.50"(89mm)	22x3.5x10	10
BW-DS-DB-C04-17	4"(102mm)	22x3.5x10	10
BW-DS-DB-C04-18	4.25"(108mm)	22x3.5x10	11
BW-DS-DB-C04-19	4.50"(114mm)	22x3.5x10	11

BW-DS-DB-C04-20	4.75"(120mm)	24x4.0x10	11
BW-DS-DB-C04-21	5"(127mm)	24x4.0x10	11
BW-DS-DB-C04-22	5.5"(140mm)	24x4.0x10	12
BW-DS-DB-C04-23	5.75"(146mm)	24x4.0x10	13
BW-DS-DB-C04-24	6"(152mm)	24x4.0x10	13
BW-DS-DB-C04-25	6.25"(159mm)	24x4.0x10	14
BW-DS-DB-C04-26	6.5"(165mm)	24x4.0x10	15
BW-DS-DB-C04-27	7"(178mm)	24x4.0x10	16
BW-DS-DB-C04-28	8"(203mm)	24x4.5x10	18
BW-DS-DB-C04-29	9"(229mm)	24x4.5x10	20
BW-DS-DB-C04-30	10"(254mm)	24x4.5x10	23
BW-DS-DB-C04-31	11"(280mm)	24x5.0x10	25
BW-DS-DB-C02-32	12"(305mm)	24x5.0x10	27
BW-DS-DB-C02-33	13"(330mm)	24x5.5x10	30
BW-DS-DB-C02-34	14"(356mm)	24x5.5x10	32

The above specification & photos is only for Reference, other specification or design can be ordered by customers.

Except that Construction Cutting and **Drilling Core Bit Segments for Heavily Reinforced Concrete**,

All of our products have been strictly tested before access to market.

<?xml:namespace prefix = o />

[Applications:](#)

Drilling Core Bit Segments for Heavily Reinforced Concrete with hard to soft aggregates, green concrete or abrasive material.

Welding Type: Silver or Laser.

Dry or Wet Use.

Turbine tooth shape



Wet or Dry (D32mm-356mm) Use

Advantage:

1. Our bit bit head adopts diamond sheet material and metal matrix (Ti + Cr + Ni + CO, etc.) to form chemical bond, which can reduce threshing, improve cutting edge and prolong service life.
2. Change single drilling to combination of grinding and cutting edge drilling (high strength diamond), optimize the drilling performance;
3. Good sharpness, fast drilling speed and high efficiency;
4. Good wear resistance coefficient, long service life and high comprehensive cost performance!

Note: the operator is required to add a certain amount of cooling water, and the spray flow should be large, so that it has better cooling effect, so as to improve the service life of the drill and reduce the cost!



Machine for Producing Diamond Segment




Cold Pressing Machine

Machine for welding the cutter segment base:



Brazing Machine Welding Rack



Related Products:



Boreway Machinery Co., Ltd
www.diamondtools.top
www.boreway.net

Crown Shape Core Drill Segment For Concrete



Boreway Machinery Co., Ltd
www.diamondtools.top
www.boreway.com

Diamond Core Drill Bit For Reinforced Concrete

About us:



Our service:

1. Low order quantity: It can meet the test order you need.
2. Fast delivery: We get great discounts from freight forwarders.
3. OEM Acceptable: We can produce according to your samples or drawings.
4. Good quality: We have a strict quality control system. Has a good reputation in the market.
5. Good service: We regard our customers as God with a high degree of professionalism and enthusiasm.

Description:

1. If we want to order your product, how do we know your quality?

You can test with a small order, and then you will know the quality. Nowadays, many people in the world use Chinese products because of their high quality and high cost performance. We are a professional diamond tool

manufacturer with more than 8 years of manufacturing experience.

2.Can you provide samples for free?

We do not provide free samples. Based on years of experience, we believe that customers will want them

because of their reliable quality. By purchasing samples, we will cherish and appreciate them and make them

get more. We are ready to offer our potential customers a special discount on samples. It's very important that you give us feedback, and we will appreciate it.

3. Does your company accept customization?

Of course, we accept customization. Including different colors, cutting objects, etc. We can also tag your own label

and company brand. If you want us to make any new products for you, just send your products to us. Whether it's

drawings or samples, we have the ability to produce the same products. We will not sell these products to others,

only customers can get permission.

Please note:

1. Please provide items before purchase.
2. Please provide the model number before purchase.
3. Other specifications can be customized according to requirements.

Contact us:

Fujian Nanan *boreway*® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /  **Fax:** (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 13559599186



E-mail: boreway06@boreway.net



Aaron Lin