

## Product Description:

---

BOREWAY [\*\*Concrete Floor Polishing Resin Pad Factory\*\*](#) have resin and metal fragments together to form light construction to offer speed agility with polish you need. The unique design of Concrete Floor Polishing Resin Pad Factor for concrete and natural stone.

**Floor Polishing Pad For Concrete Floor Manufacturer** Wet polishing pads are self-adhesive on the Hook and loop back sanding pad, and suitable for grinding stone, ground tile, ceramic.

Concrete Floor Polishing Pad the whole process takes water to cool fully, but in the polishing stage, water should not be too much.

### **How to choose the suitable polishing pads for your floor?**

For polishing various curve surface of concrete and stone, using sequence: from rough grit to fine, finally polishing. The 50 grit eliminate the trowel marks, smooth rough area and expose light aggregate and it is also great for shaping edges and removing mold lines; The 100 grit will follow and so on, until you achieve a satisfied polished shine;

Step1: #50 for aggressive coarse grinding.

Step2: #100 for coarse grinding.

Step3: #200 for semi coarse grinding.

Step4: #400 for soft grinding / medium polishing.

Step5: #800 for extra polishing.



Step6: #1500 for final polishing.

Step 7: #3000 for final finer polishing, not often used.

### **Feature:**


1. Excellent clarity, gloss, soft degree
2. Strong grinding force, good durability
3. Excellent for floors polishing restoration with long lifespan, providing a very nice surface to polish
4. Does not change in the color of the stone itself, with glazing fast, good brightness and not fade

Use High Quality Diamond



Suitable for Multiple Materials

Use high-quality materials, the paste is firm, can be peeled off repeatedly, printed with Grit No. easy to use



Use/Dry Use

### Product Specification:

---

Specification of **Concrete Floor Polishing Resin Pad Factory** :

Diameter	100mm
Grit No.	50#, 100#, 200#, 400#, 800#, 1500#, 3000#

More normal specification of **Concrete Floor Polishing Resin Pad Factory**

Diameter	Thickness	Grit No.	Holder
80mm(3")	10mm	50#, 100#, 200#, 400#, 800#, 1500#, 3000#	Velcro
100mm(4")	11mm		

There are other sizes [Concrete Floor Polishing Pad Manufacturer](#) can be customized according to requirements.



**Boreway Machinery Co.,Ltd**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.net](http://www.boreway.net)

**boreway®**



**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**



**boreway®**



**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**



**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**

## **Application:**

---

Use Type: Wet/Dry Use

Concrete Floor Polishing Resin Pad Factory for stone polishing, line chamfer, the arc plate and special shaped stone processing.

Concrete Floor Polishing Resin Pad Factory can also be used for processing, repairing and renovating marble, concrete, cement floor, terrazzo, glass ceramics, artificial stone, tiles, glazed tiles, vitrified tiles

Our concrete Floor Polishing Resin Pad Factory for grinding and polishing marble, granite,



concrete floor of the renovation work




Resin Polishing Pad can also be used for processing, repairing and renovating marble, concrete, cement floor, terrazzo, glass ceramics, artificial stone, tiles, glazed tiles, vitrified tiles.



Marble



Terrazzo



Granite



Concrete Floor



Epoxy Floor



Floor



About Us:

---





## **Packing&Delivery:**

---

- 1.Tools packing in carton cases
- 2.By Air/Sea for batch goods, Airport/Port receiving
- 3.Less than 45kg, generally delivery by express(Door to Door)
- 4.When tools are in large quantities, they are packing in wooden cases



- For sample or small orders, products could be sent by express, TNT, DHL, UPS, FedEx, EMS etc.
- For large orders, shipping by sea or air is recommended. By our long-term cooperate agent or your appointed forward.
- By sea, port of loading: Shanghai, Ningbo, Xiamen, Qingdao etc.



## Our Service:

---

- 1.Low MOQ: It can meet your trial order need well.
- 2.OEM Accepted: We can produce according to your sample or drawings.
- 3.Good Service: We treat our clients as God with high professionalism and passion.
- 4.Good Quality: We have strict quality control system. Good reputation in the market.
- 5.Fast Delivery: We have big discount from forwarder.

## Contact Us:

---

Fujian Nanan **boreway**® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**