

description:



Factory Supply Polar Magnetic Chuck Metal Pads Dry Grinding Concrete Floor Diamond Polishing Shoe Two Locating Hole And 3-Hole Bracket With M6 Connection

Factory Supply Polar Magnetic Chuck Metal Pads are also effective in the process of concrete deburring and rough-surface grinding. Their light weight design and range of sizes ensure fast surface grinding with a minimum of operator fatigue

1. Designed for fast rough work
2. Excellent for concrete floor processing
3. Used on all portable grinding machines and special reconditioning machines.

Specifications:

Following are the general specifications **Factory Supply Polar Magnetic Chuck Metal Pads**:


Name:	Factory Supply Polar Magnetic Chuck Metal Pads
Segment No.:	10T
Connection:	Universal Use
Segment Size:	24*4/20*8mm
Segment Type:	Trapezoid Segments
Supplier:	Factory/Manufacturer
Material:	Diamond Segments + Metal Blank
Usage:	For Concrete and Terrazzo Floor Grinding

Specifically designed tools are available for any standard application. We can do it Tailor your equipment to your specific needs.

Advantage:


Factory Supply Polar Magnetic Chuck Metal Pads are usually designed as 10 or 8 segments or specific number and shape according to the customer's requirements.

Factory Supply Polar Magnetic Chuck Metal Pads are designed for extended life and aggressive grinding. Of course, the horsepower required for the grinder is much more greater.



These pucks are usually designed as 10 or 8 segments or specific number and shape according to the customer's requirements.

High Performance Pucks are designed for extended life and aggressive grinding. Of course, the horsepower required for the grinder is much more greater.



Tips: Diamond Bond Choice


Soft Bond - For hard concrete, between 4000 and 5500 psi. The bond must be softened to expose the diamond crystals to grind the hard surface. Hardened concrete consists of hardened granite, quartz, river stone, flint.

Medium bonds - for medium concrete, between 2500 and 4000 psi - are the suggested, most popular and most common bonds used in most cases. For use on common pit gravel and / or medium river stones, traprock, crushed gravel floors. Soft and hard bonds are usually reserved for extreme (unusual) cases.

Hard Bond - For soft concrete, typically below 2500 psi. Bonds have rigid metals in their matrix that withstand friction, so diamond crystals are not kicked-out before the surface has a chance to work. Soft concrete consists of limestone, sandstone, dolomite, soft shell.

We also offer super soft bonds at 5500 psi for additional hard concrete. And super hard bonds for extra soft concrete.

Product Details:



[If you are interested in our products, you can click on me.](#)

Application:


Factory Supply Polar Magnetic Chuck Metal Pads Polar Magnetic Grinders.

Coarse grit: Could be used for un-even concrete floors , rough grinding preparation on floor or old floor renovation.



Factory Supply Polar Magnetic Chuck Metal Pads could be used for all kinds of concrete and terrazzo floors , grinding preparation on floor or old floor renovation.

Grit:6#, 16/18#, 20/25#, 30/40#, 50/60#, 70/80#, 80/100#,120/150#, 200/220#,325/400#



About Us:



Packing & Delivery:

PS:

1. Tools packing in carton cases
2. By Air/Sea for batch goods, Airport/Port receiving
3. Less than 45kg, generally delivery by express(Door to Door)
4. When tools are in large quantities, they are packing in wooden cases



- For sample or small orders, products could be sent by express, TNT, DHL, UPS, FedEx, EMS etc.
- For large orders, shipping by sea or air is recommended. By our long-term cooperate agent or your appointed forward.
- By sea, port of loading: Shanghai, Ningbo, Xiamen, Qingdao etc.



Logistics:

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours

Our Service:

- 1.Low MOQ: It can meet your trial order need well.
- 2.OEM Accepted: We can produce according to your sample or drawings.
- 3.Good Service: We treat our clients as God with high professionalism and passion.
- 4.Good Quality: We have strict quality control system. Good reputation in the market.
- 5.Fast Delivery: We have big discount from forwarder.

FAQ:

1.How could we know the quality, if we want to order your products?

Please just test them with a very small order, then you will know the quality. At present,so many people in the world to use Chinese products, because of the high quality and most competitive prices. We are professional manufacturer in supplying diamond tools for more than 8 years. Anyway, confirming our products quality, a small trial order for testing will be necessary.

2.Can you offer free samples?

We don't offer free samples, according to our many years experience, we think people get the samples by paying, they will cherish and appreciate more what they get. But we are willing to give our potential customers a special discount which they are used to do a testing. It is very important to give us feedback, we appreciate it.

3.Does your company accept custom-made?

Surely, we accept it. Including differentcolor, grit etc. We also can mark your ownlogo and brand on the pad. Any new productsyou want us to produce for you, just send us your drawing or

sample, we will produce the same one. We will not sell this kind of products to other customers only if we get your permission.

Contact Us:

Fujian Nanan **boreway**® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com



Lyon Chang