Description:

Bush hammer tool can be used with floor machines or powerful grinders for bush hammering of stone floors and surfaces.

The Roughness of the bush hammered surface can be adjusted with our bush hammer through adjustment of spring elasticity on the bush hammer, or through the pressure of the manual grinding machine.

Loosening spring elasticity or less pressure with increase the roughness of hammering result and tightening the springs or increase machine pressure will reduce roughness to give the bush hammered surface a finer look.

Feature:

1. To create anti-slip surfaces.

2. To remove old glue and resin coatings

Specification:

Rotary Bushammering Plate

| Item Name | Bush Hammer Plate | | | |
|---------------|--|---------------|--|--|
| Specification | D.125x3Tx30s | D.300x6Tx45s | | |
| | D.150x4Tx30s | D.350x9Tx45s | | |
| | D.200x4Tx45s | D.400x9Tx45s | | |
| | D.250x5Tx45s | D.450x12Tx45s | | |
| Remark | D means the diameter of plate | | | |
| | T means the roller quantity in per bush hammer | | | |
| | S means the No.tips per roller | | | |

The parameters only for reference, other specifications can be customized.

More normal specification of **diamond bush hammer plate:**

| Model | Out Diameter | Wheel Width | Segment Quantity | Connection | Remark |
|-------|-----------------|-------------|---------------------|------------|--------|
| | Inch mm | | | | |

| BW-BH12514 | 5 | 125 | 3 | 14 | | Singer Layer Double Layer |
|------------|----|-------|-----|----|---|------------------------------|
| BW-BH12514 | | | 4 | 14 | | |
| BW-BH12520 | | | 3 | 20 | | |
| BW-BH12520 | | | 4 | 20 | | |
| BW-BH12530 | 5 | 125 | 3 | 30 | | |
| BW-BH15014 | 6 | 150 | 4 | 14 | | |
| BW-BH12520 | 6 | 150 | 4 | 20 | M10 M12 | |
| BW-BH15045 | 6 | 150 | 3 | 45 | M12 M16 5/8"-11 40H-50H Φ74-3*m8 Fast Connection | |
| BW-BH15030 | U | | 4 | 30 | | |
| BW-BH20045 | 8 | 8 200 | 4 | 45 | | |
| BW-BH20030 | | | 6 | 30 | | |
| BW-BH25045 | 10 | 250 | 5 | 45 | | |
| BW-BH25030 | | | 6 | 30 | | |
| BW-BH30045 | 12 | 300 | 6 | 45 | | |
| BW-BH30030 | | | 9 | 30 | | |
| BW-BH35045 | 14 | 4 350 | 9 | 45 | | |
| BW-BH35030 | | 74 | 220 | 12 | 30 | |

Kindly Noted, When Place Order Please Inform The Following:

1.Stone Effect[Sandblasted Surface/Litchi Surface]

- 2. Use Object (Marble, Granite Or Other Stone, Concrete And Other Stone)
- 3. Segment No.(30s, 45s, 60s, 72, 99s, Star, Steel Dense Tooth, Vacuum Brazing)

4. Diameter of the Bush hammer plate(125mm, 150mm, 200mm, 250mm, 300mm, 350mm, etc.)

5.Base Style(U Shape, Frankfurt, Fickert, Lavina, Husqvarna, HTC, Klindex, Werkmaster, Diamatic, Etc.)

6.Machines (Hand Held Grinders, Automatic Bush Hammering Machine, Automatic Grinding Machine, Angle Grinder, And Floor Grinders)



Product Show:

Rotary Bush hammering Plate





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com



FAQ

1. Do you provide many kinds of bush hammer tool?

We provide 30s, 45s, 60s and other various bush hammer wheels, as well as multi-brand floor lychee surface grinding blocks and grinding discs.

2. When inquiring about products, what information do I need to provide?

You can inform the specifications of the required product, the target of the product, the machine that the product uses, or use the picture to communicate with our staff, and you can also customize the product according to your requirements.

3. How are your products packaged?

We will first want to wrap the sponge around the product, then put it in a carton or plywood box, and then wrap the box with tape. We can pack them according to your requirements

Logistics:

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



Contact Us:

Fujian Nanan Manan Machinery Co.,Ltd.

🔀 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **SFax:** (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chan