

Product Description

Frankfurt bush hammer roller for sandblasting is specially designed for mills and automatic grinders in Frankfurt and adopts the manufacturing process of vacuum brazing. It is made through a variety of processes.

What are the dimensions of our vacuum brazing grinding wheel $\phi 50 \times L 46 \text{mm}$ with horseshoe base. Rotary bush hammer for sandblasting finish is a popular profile on granite, marble or other natural stones.

Among the various bush hammer tools, we use vacuum brazed diamond to create sandblasting finish. The vacuum brazed diamond has a range of different diamond grit to choose from, for coarse grinding, medium grinding or fine grinding. It has good sharpness and can do the grinding job efficiently.

Feature:

1. Vacuum brazed grinding wheel can be used for sand blasting on stone.
2. The package is intact and the horseshoe type bush hammer roller for manufacturer is well protected to ensure that it will not be damaged during transportation.
3. The quantity and layout of diamond sand of rotary bush hammer roller supplier china can be adjusted to achieve different stone surface effects.

Kindly Noted, when place order please inform the following:

1. Stone Effect (Sandblasted Surface/Litchi Surface)
2. Use Object (Marble, Granite Or Other Stone, Concrete And Other Stone)
3. Segment No. (30s, 45s, 60s, 72, 99s, Star, Steel Dense Tooth, Vacuum Brazing)
4. Diameter of the Bush hammer plate (125mm, 150mm, 200mm, 250mm, 300mm, 350mm, etc.)
5. Base Style (U Shape, Frankfurt, Fickert, Lavina, Husqvarna, HTC, Klindex, Werkmaster, Diamatic, Etc.)
6. Machines (Hand Held Grinders, Automatic Bush Hammering Machine, Automatic Grinding Machine, Angle Grinder, And Floor Grinders)



BUSH HAMMER BLOCK

Specification:

The Followings Are The Normal Specifications Of Our **Frankfurt Bush Hammer Roller For Sandblasting:**

| Roller Length | Roller Diameter | Effect | Type |
|---------------|-----------------|---------------------|--|
| 46mm | 50mm | Sandblasting Finish | Frankfurt Vacuum Brazed Bush Hammer Roller |

The above specifications are for reference, other specifications can be ordered by customers.

More normal specification of rotary bush hammer rollers:


| Model | Out Diameter | Wheel Width | Segment Quantity | Segment Diameter | Remark |
|-------|--------------|-------------|------------------|------------------|--------|
|-------|--------------|-------------|------------------|------------------|--------|

| | | | | | |
|------------|----|----|----|--|-----------------------------|
| BW-BHR4530 | 45 | 22 | 30 | 3.6 4.5 4.6 4.7 6.0 8.0 | With Stand Without Stand |
| BW-BHR5330 | 53 | 30 | 30 | | |
| BW-BHR5530 | 55 | 22 | 30 | | |
| BW-BHR5545 | 55 | 22 | 45 | | |
| BW-BHR5545 | 55 | 30 | 45 | | |
| BW-BHR5545 | 55 | 39 | 45 | | |
| BW-BHR5545 | 55 | 53 | 45 | | |
| BW-BHR5545 | 55 | 55 | 45 | | |
| BW-BHR5560 | 55 | 43 | 60 | | |
| BW-BHR8060 | 80 | 55 | 60 | | |
| BW-BHR5972 | 59 | 53 | 72 | | |
| BW-BHR6077 | 60 | 53 | 99 | Star Type | |
| BW-BHR3307 | 33 | 6 | 7 | | |
| BW-BHR3310 | 33 | 6 | 10 | | |
| BW-BHR4910 | 49 | 6 | 10 | | |
| BW-BHR4915 | 49 | 6 | 15 | | |
| BW-BHR4920 | 49 | 6 | 20 | | |

Product Show:

Frankfurt Vacuum Brazed Bush Hammer Roller For Sandblasting Surface

boreway®



Frankfurt Shape Base

Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net



Boreway Machinery Co.,Ltd
www.diamondtools.top
www.boreway.net

Application:

Frankfurt bush hammer roller for sandblasting effect.

Vacuum brazed hammer for frankfurt grinding machine and automatic grinding machine.

Bush hammer nozzle supplier china for grinding granite,marble,sandstone,concrete floor and other stone.

FAQ

1.Will the teeth of the bush hammer roller fall off?

of course not,We use high-strength flux to weld the carbide tip to the grinding wheel. The

grinding wheel is sturdy and durable, with a long life, and the tip is not easy to fall off.

2. When inquiring about products, what information do I need to provide?

You can inform the specifications of the required product, the target of the product, the machine that the product uses, or use the picture to communicate with our staff, and you can also customize the product according to your requirements.

3. How are your products packaged?

We will first want to wrap the sponge around the product, then put it in a carton or plywood box, and then wrap the box with tape. We can pack them according to your requirements

Logistics:

Sample order ship by DHL, UPS, FedEx, TNT, EMS etc

For mass order delivery, can be optional with terms of Exwork, FOB, CNF, CIF by air or by sea based on the buyer's forwarder or ours



AIR



EXPRESS



SEA

Contact Us:

Fujian Nanan **boreway** Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



TEL: (+86)595-86990206 /



Fax: (+86)595-86990220



Mobile/WhatsApp/Wechat: (+ 86) 18650679939



E-mail: boreway@boreway.com