

## Introduction:

High Quality 4 Inch Copper Bond Diamond Wet Polishing Pads for smoothing and polishing concrete. The aggressive copper bond is notably more resistant to the abrasion of cement. They are still very flexible for bullnose, radius, and bowl use. Application for wet polishing granite, marble, glass and other special-sharp stone of corner.

## Advantage:

1. Wet use only
2. Velcro backed
3. Maximum speed: 4500 RPM
4. Best use granite marble and concrete

## Specification:

Specification of High Quality 4 Inch Copper Bond Diamond Wet Polishing Pads

| diameter (inch/mm) | thickness(mm) | grit                       |
|--------------------|---------------|----------------------------|
| 3" /80mm           | 3.0mm         | 30#, 50#, 100#, 200#, 400# |
| 4" /100mm          |               |                            |
| 5" /125mm          |               |                            |

Other thickness and diameter can be customized according to need.

## Image:


High Quality 4 Inch Copper Bond Diamond Wet Polishing Pads

**boreway**®



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



Boreway Machinery Co., Ltd.  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**boreway**®



**Boreway Machinery Co., Ltd.**  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.com](http://www.boreway.com)

**Contact us:**

**Fujian Nanan Boreway Machinery Co.,Ltd.**

**Address:** Shuitou Town,Quanzhou, Fujian, China

**Post Code:** 362342

**TEL:** (+86)595-86990206

**FAX:** (+86)595-86990220

**WhatsApp:**+86-18650679939

**Email:**borewa02@boreway.net