Product description:

The high frequency induction heating welding machine uses a series resonant circuit, the resonant output low voltage, high current frequency power by high-frequency transformer; This high frequency welding machine is our newest generation products, using MOSFET power devices and our newest generation variable flow control technology, equipment a very simple structure, high reliability, low maintenance, customer selfmaintenance convenience, is currently one of the most widely used welding machine.

Features:

- 1.Under the same conditions, saving a double electric energy than traditional ones.
- 2.Can be used in pipeline operations, the small ext machine occupies a small counter top space, easy to move.
- 3. With over-current, over-voltage, under-water, phase failure, load discomfort state, the provision of higher reliability and durability.
- 4. Applied to the workplace with poor environment, you can put the main host machine in clean space, reducing the
- host's repair rate, increase the reliability of the device.
- 5.Design with a 100% load, continuously 24 hours a day, can be equipped with infrared temperature measurement,
- automatic temperature control, improve the heating quality and simplify the manual operation.

Advantage:

Our high frequency welding machine export to Brazil, India, Australia, USA, Ukraine, Italy, Poland, Russia, more than 20 different countries. In these overseas markets, our welding machine enjoy a good reputation, we get good feedbacks after their corresponding test result, so, we are confident in our products quality.

All of our products have been strictly tested before access to market.

Other specifications can be customized according to requirements.

All of our products have been strictly tested before access to market. Other specifications can be customized according to requirements.

Details:

Specification of High frequency induction welding machines:

Parameters	Numerical		
Input voltage	Single-phase 220V 50/60HZ	Three phase 380V, 50/60HZ	Three-phase 380V
The operating voltage	220 V	340-430 V	380V
Power	20 KW	25 KW	30 KW
Out current	200-1050 A	200-1200 A	400-1500 A
Work frequency	30-100 KHZ	30-80 KHZ	30-80 KHZ
Rated duty cycle	100%	100%	100%
Power factor	≥95	≥95	≥95
Temperature of cooling water	≤ 40°C	≤ 40°C	≤ 40°C
Cooling water Pressure	0.06-0.12 Mpa	0.06Mpa-0.12Mpa	0.06Mpa-0.12Mpa
Cooling watering flow	7.5 L/min	7.3 L/min	7.5 L/min
Main host size and weight	620mm*290mm*500mm 25kg	560*220*590mm 22kg	600*255*540mm 35Kg
Extension size and weight	Optional	Optional	450*255*390mm 30KG

Other specifications can be customized according to requirements. Before purchasing the machine, please provide the specifications of the welding workpieces. The following shows only part of the product, other products can be customized according to your needs

If you do not find the product you want, please contact us for more products details.

Pictures:

Single Phase 220V+20KW, can make 3phases 380V+20KW/25KW(It depends on c ustomer's demands).














































Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com



Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com








High Frequency induction heating brazing machine connect to welding frame rack





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

How it works?



380V+30KW Three phases high frequency induction heating welding machine



380V+40KW Three phases high frequency induction heating welding machine





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Annex: Foot switch/hand-press switch,heating coil(can be customized),water pipes,water

pumps(need to buy).





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Packing & Delivery:

High frequency induction welding machine packing in the wooden.

We can also pack the welding machine according to your requirements.

Special specifications need to be negotiated for delivery times.

-DELIVERY-

Less than 45kg, generally delivery by express(Door to Door).













By Air / Sea for batch goods, Airport / Port receiving.





BY SEA



Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Huahui Center 605, Shuitou Town, Quanzhou, Fujian, China

Post Code: 362342

Tel.: 0086-595-86990206 **Fax:** 0086-595-86990220

Mobile/WhatsApp: 0086-13559599186

Wechat: boreway05 **Skype:** boreway05

Facebook: 13559599186

E-mail: boreway05@boreway.net

Website: http://www.diamondtools.top