

Introduction:

High Quality Wet Use 3 Inch Copper Bond Diamond Floor Polishing Pad for smoothing and polishing concrete. The aggressive copper bond is notably more resistant to the abrasion of cement. They are still very flexible for bullnose, radius, and bowl use. Application for wet polishing granite, marble, glass and other special-sharp stone of corner.

Advantage:

1. Wet use only
2. Velcro backed
3. Maximum speed: 4500 RPM
4. Best use granite marble and concrete

Specification:

Specification of High Quality Wet Use 3 Inch Copper Bond Diamond Floor Polishing Pad


diameter (inch/mm)	thickness(mm)	grit
3" /80mm	3.0mm	30#, 50#, 100#, 200#, 400#
4" /100mm		
5" /125mm		

Other thickness and diameter can be customized according to need.

Image:


High Quality Wet Use 3 Inch Copper Bond Diamond Floor Polishing Pad

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.

Address: Shuitou Town,Quanzhou, Fujian, China

Post Code: 362342

TEL: (+86)595-86990206

FAX: (+86)595-86990220

WhatsApp:+86-18650679939

Email:borewa02@boreway.net