Introduction:

High Quality Wet Use 3 Inch Copper Bond Diamond Floor Polishing Pad for smoothing and polishing concrete.The aggressive copper bond is notably more re sistant to the abrasion of cement.They are still very flexible for bullnose, radius, and bowl use. Application for wet polishing granite, marble, glass and other special-sharp stone of corner.

Advantage:

1.Wet use only
2.Velcro backed
3.Maximum speed: 4500 RPM

4.Best use granite marble and concrete

Specification:

Specification of High Quality Wet Use 3 Inch Copper Bond Diamond Floor Polishing Pad

diameter (inch/mm)	thickness(mm)	grit
3" /80mm	3.0mm	30#, 50#, 100#, 200#, 400#
4" /100mm		
5" /125mm		

Other thickness and diameter can be customized according to need.

Image:

High Quality Wet Use 3 Inch Copper Bond Diamond Floor Polishing Pad



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

boreway®



Boreway Machinery Co., Ltd.
www.diamondtools.top
www.boreway.com

Contact us:

Fujian Nanan Boreway Machinery Co.,Ltd.
Address: Shuitou Town,Quanzhou, Fujian, China
Post Code: 362342
TEL: (+86)595-86990206
FAX: (+86)595-86990220
WhatsApp:+86-18650679939
Email:borewa02@boreway.net