

## Husqvarna 2 Segment Diamond Grinding Bar Shoe For Grinding Concrete And Terrazzo Suppliers

### Description:

**Connection:** Redi-lock style

**Grit No.:** 6#, 16#, 20/25#, 30/40#, 50/60#, 70/80#, 80/100#,120/150#, 200/220#,325/400#


**Features:**Husqvarna 2 Segment Diamond Grinding Bar Shoe For Grinding Concrete And Terrazzo Suppliers,Can be designed into a variety of different shapes of single segment or double segments , also can be customized according to the customer's special shape and specific numbers of segments.

can be made into a three inch and ten segments grinding disc , providing an ultra-long service life , this model is recommended for large horsepower or large grinding machine.

suitable for general (concrete,stone) grinding use while mostly they are used for paint, glue, epoxy removal and floor coating, high quality and high efficiency, long lifespan.

**Husqvarna 2 Segment Diamond Grinding Bar For Suppliers,**Metal bond diamonds high grinding efficiency and low grinding force generates less heat in the grinding process.Metal bond diamonds have high strength, excellent wear resistance, and a low friction coefficient.

Grit No.:6#, 16/18#, 20/25#, 30/40#, 50/60#, 70/80#,  
80/100#,120/150#, 200/220#,325/400#



**Application:**

**Husqvarna 2 Segment Diamond Grinding Bar For Suppliers, is use for Husqvarna Grinder.**

**Metal bond diamonds high grinding efficiency and low grinding force generates less heat in the grinding process.**



**Husqvarna 2 Segment Diamond Grinding Bar For Suppliers For Husqvarna Grinder,Other Pads Use For Husqvarna,Werkmaster, Lavina, Sti,Htc,Blastrac,Scanmaskin ,Klindex,Edco Grinders Etc.**

**Husqvarna 2 Segment Diamond Grinding Bar For Suppliers** have high strength, excellent wear resistance, and a low friction coefficient.

**Specification:**

The normal size of **Husqvarna 2 Segment Diamond Grinding Bar For Suppliers**:

<b>Product Name</b>	China Factory Diamond Grinding Pad Shoe Concrete Floor Husqvarna With Two Z Segment Suppliers		
<b>Segment Shape</b>	Round Shape	<b>Segment SI</b>	25*12*2mm
<b>Place of Origin</b>	Fujian, China	<b>Brand</b>	Boreway
<b>Item No.</b>	BW-HU-RS-01	<b>Machine</b>	Husqvarna Grinder
<b>Application</b>	Concrete Terrazzo Epoxy Floors	<b>Material</b>	Diamond + Metal Powder Combination

Other connection and specification can be customized according to need

[If you need it, please continue contact with us, you can click here](#)


**Feature:**

**Husqvarna 2 Segment Diamond Grinding Bar For Suppliers**

1. Can be designed into a variety of different shapes of single segment or double segments,also can be customized according to the customer's special shape and specific numbers of segments.
2. For example below can be made into a three inch and ten segments grinding disc , providing an ultra-long service life , this model is recommended for large horsepower or large grinding machine.



Boreway Machinery Co.,Ltd  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.net](http://www.boreway.net)




Boreway Machinery Co.,Ltd  
[www.diamondtools.top](http://www.diamondtools.top)  
[www.boreway.net](http://www.boreway.net)

**Bond:**

Soft Bond - The metallic powder in the sintered segment wears away quickly releasing dull diamond crystals exposing new abrasive crystals to cut efficiently. Best used on hard surfaces.

Medium Bond - A metal bond strength right between that of soft and hard bonds.

Hard Bond - The bond of the metallic powder in the segment wears away slowly and prevents premature wear against soft, abrasive surfaces.



**Husqvarna 2 Segment Diamond Grinding Bar Shoe For Grinding Concrete And Terrazzo Suppliers** has developed a very broad range of metal-bond diamond tools to achieve maximum capacity at minimum cost and to suit most types of floor. The matching of various floors and bond is as follows.

**Husqvarna 2 Segment Diamond Grinding Bar For Suppliers** for general (concrete, stone) grinding use while mostly they are used for paint, glue, epoxy removal and

floor coating, high quality and high efficiency, long lifespan.

## About Us:



## Packing & Delivery:

PS:

- 1.Tools packing in carton cases
- 2.By Air/Sea for batch goods, Airport/Port receiving
- 3.Less than 45kg, generally delivery by express(Door to Door)

4. When tools are in large quantities, they are packed in wooden cases



- For sample or small orders, products could be sent by express, TNT, DHL, UPS, FedEx, EMS etc.
- For large orders, shipping by sea or air is recommended. By our long-term cooperate agent or your appointed forward.
- By sea, port of loading: Shanghai, Ningbo, Xiamen, Qingdao etc.



### Our Service:

1. Low MOQ: It can meet your trial order need well.
2. OEM Accepted: We can produce according to your sample or drawings.
3. Good Service: We treat our clients as God with high professionalism and passion.
4. Good Quality: We have strict quality control system. Good reputation in the market.
5. Fast Delivery: We have big discount from forwarder.

### Contact Us:

Fujian Nanan **boreway**® Machinery Co., Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**