

## Product Description

**Multi blade with m shape segments** design makes fast diamond exposed and cutting speed with high cutting efficiency. Besides, easing vibration and reducing noise while cutting.

The improvement of sharpness reduces the waste rate of stone materials, cuts stone blocks evenly, and reduces waste.

The sandwich diamond segment for cutting has been tested for many times, and the sharpness has been continuously improved to improve the cutting speed of processing for you.

## Feature:

1. Professional manufacturing of diamond core drill bit segment , with a good quality management system
2. The product is mature and has been tested in many countries and regions around the world
3. Possess sufficient supply capacity to meet customer order capacity requirements

When the cutter head is welded on the saw blade matrix, the gap between the cutter heads will not be too large. The gap can allow the buffer transition between the cutter head and the cutter head, which is conducive to extending the service life of the cutter head and reducing the purchase cost of the enterprise.

## Product Specification:

The Following Are Normal Specifications **Sandwich Diamond Segment For Cutting Suppliers:**

Blade Diameter	Segment Size	Core Thickness	Application
64 Inch,1600mm	24X9.2/8.4X13H(15H)mm	6.5-7.2mm	Granite Block Cutting

The above specifications is only for reference, other specifications may be available as per customer's demand.

**Other Specifications Of Cutter Segment:**

Diameter		Thickness	Teeth	Segment Size			Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	H	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite

### Multi-Blade And Single-Disc Saw Blade Specifications:

Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble

[Product show](#)

## Sandwich Multi Cutting Granite Blade With M Shape Segments

**boreway®**



**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**

**boreway®**



**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**





**Boreway Machinery Co.,Ltd**  
**[www.diamondtools.top](http://www.diamondtools.top)**  
**[www.boreway.net](http://www.boreway.net)**

#### **Application:**

Diamond segment for granite cutting.

Stone cutting segment for multi cutting blade.

M design of segment, the m shape with groove allows ideal debris removal and better cooling, reduces cutting friction, which will keep good cutting sharpness and high cutting efficiency. Good cutting result. This M shape design will minimize opening faster. This product is widely used for cutting all stones.



## FAQ

### 1.What is your terms of payment?

We accept DHL,Fedex,TNT, UPS , etc.

### 2.Do you provide samples? Is it free or extra?

Yes, we could offer you the sample machine. But it's not free. You need to pay for the sample and the cost of freight.

### 3. Will the company reduce cost and quality for price?

To reduce other unnecessary costs

To find good agents for lower shipping fees

To find the right suppliers of product materials

It will never reduce the quality of the product. We can optimize the product process and take some measures to protect the quality of the product.



**Contact Us:**

**Fujian Nanan *boreway*® Machinery Co.,Ltd.**



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**