Product Description

24x8.4/7.6x15mm multi saw blade granite diamond segment, professional design for the Indian market.

From the construction of diamond segments, we have two types. One is Chinese traditional Multi-layers Type.

This type segments can reduce the diamond & powder cost, but the diamond and Cobalt Powder quality must be very good, otherwise the segments will not cut if the granite is very hard, or even the segments will be broken.

Feature:

- 1. High percent of bond materials, high grade of diamond
- 2. <u>Multi Saw Blade Diamond Cutting Segment For Suppliers</u> Strict quality control, competitive price and stable quality
- 3. The cutting head is flat, which reduces the waste rate of stone and improves the processing efficiency

Product Specification:

The Following Are Normal Specifications Multi Saw Blade Granite Diamond Segment:

Blade Thickness	Segment Size (LxWxH)	Application	Segment Quantity	Machine
6.5mm	24X8.4/7.6x15mm	Stone Granite Block	250pcs Per Set	Single Arm Machine, Bridge Cutting Machine

The above specifications is only for reference, other specifications may be available as per customer's demand.

Other Specifications Of Cutter Segment:


Diameter		Thickness	Teeth	Segment Size		Hole	Max. RPM	Cutting Stone	
Inch	mm	mm	pcs/set	L	W	Н	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite


Multi Blade And Single Disc Saw Blade Specifications:

Blade Diameter	Thickness	Segment Size	Cutting Stone
#	mm	LxWxH	#
2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
48"/1200mm	4.0	24x5.5x8H(10H)	Marble
48"/1200mm	4.5	24x6.0x8H(10H)	Marble
48"/1200mm	5.0	24x7.5x8H(10H)	Marble
48"/1200mm	5.5	24x8.0x8H(10H)	Marble
64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble
	# 2200-600 Multi 2200-600 Multi 2200-600 Multi 2200-600 Multi 2500-800 Multi 2500-800 Multi 2500-800 Multi 1600-960 Multi 1600-960 Multi 40"/1000mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm 48"/1200mm	# mm 2200-600 Multi 4.5 2200-600 Multi 5.0 2200-600 Multi 5.5 2200-600 Multi 6.5 2500-800 Multi 5.5 2500-800 Multi 6.5 2500-800 Multi 7.2 1600-960 Multi 6.5 1600-960 Multi 7.2 40"/1000mm 4.5-5.0 48"/1200mm 5.0-5.5 64"/1600mm 4.5 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0 48"/1200mm 5.0	# mm LxWxH 2200-600 Multi 4.5 24x6.4/5.6x13H(15H) 2200-600 Multi 5.0 24x7.0/6.2x13H(15H) 2200-600 Multi 5.5 24x7.4/6.6x13H(15H) 2200-600 Multi 6.5 24x8.4/7.6x13H(15H) 2500-800 Multi 5.5 24x7.4/6.6x13H(15H) 2500-800 Multi 5.5 24x8.4/7.6x13H(15H) 2500-800 Multi 7.2 24x9.2/8.4x13H(15H) 1600-960 Multi 7.2 24x9.2/8.4x13H(15H) 1600-960 Multi 7.2 24x9.2/8.4x13H(15H) 40"/1000mm 4.5-5.0 24x7.0/6.2x13H(15H) 48"/1200mm 5.0-5.5 24x7.5/6.5x13H(15H) 48"/1200mm 4.0 24x5.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.0 24x7.5x8H(10H) 48"/1200mm 5.5 24x8.0x8H(10H) 64"/1600mm 6.5-7.2 24x9.2x10H(8H)

Product show

6.5mm Multi Saw Blade Granite Diamond Segment For Indian Market








Application:

Multi saw blade with diamond segment after sintering, the multi saw blade with diamond segment is taken out of the stone grinding mold, and then after a series of quality inspection, packaged and mailed to the customer.

Stone block cutting diamond segments for granite and hard stone.

Granite block diamond segment for single arm machine, bridge cutting machine.



Granite







Tower Saw Blade





Multi Saw Blade





Single Saw Blade





FAQ

1.Can we use our brand?

Yes, we provide OEM service, just send your packaging design and Logo to us.

5. Do you have different quality for different kind of stone?

Yes, according hardness of stone and stone's feature, we have different typology respectively.

6. If we need technical support, can you offer us?

Yes, we have an experienced team, offering our customers additional benefits with specific advice, by our product management staff, engineers and technicians.



Contact Us:

Fujian Nanan homeway Machinery Co.,Ltd.

No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

TEL: (+86)595-86990206 / **Pax:** (+86)595-86990220

Mobile/WhatsApp/Wechat: (+ 86) 18650679939

E-mail: boreway@boreway.com

Lyon Chang