Introduction:

Sealed curing floor polishing machine 12T-700 is be used for floor grinding, coarse concrete floor burnishing, old epoxy floor renovation, sealed curing floor polishing, marble ground maintenance.

Feature:

- 1.Using the precise helical tooth synchronizing wheel,the machine is never noisy and the machine run much more smoothly; 2.With ultra low center of gravity,then machine is more stable and work strongly;
- 3. The innovation of design makes the machine much more coordinate with the man, you will feel relax after a long working time.

Specification:

The normal specification of Sealed curing floor polishing machine 12T-700:

Parameter

Model	Power output	voltage	Working width	Disc rotate speed	Disc quantity	Water Tank volume	weight
Unit	KW	V	MM	RMP	Т	L	KG
12T-700	11	380	700	0~1800	12	80	290
12T-700	11	220	700	0~1800	12	80	300

The above are normal specification for reference. Other specification can be ordered by customers.

Picture:





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com

Similar product:

 ${\bf Coarse\ concrete\ floor\ burnishing\ machine\ 12T-580A, Muti-function\ floor\ grinding\ machine\ 12T-580A}$





Boreway Machinery Co., Ltd. www.diamondtools.top www.boreway.com