

## Product Description

.This unique “T” design of **no** edge collapse diamond segment side face allows ideal debris removal and better cooling, which also improves the sharpness and cutting efficiency. Besides, this design reduces blade stone interface while cutting that will minimize cutting friction and noise.

Compared to the long segment, this short segment design makes better cutting efficiency. Also this segment will not allow easy edge collapse, tapered slab etc.

## Feature:

- 1.T shape diamond segment with three steps,good self-sharpness. With stable processing efficiency.
- 2.Shape diamond segment for granite.Dry & Wet cutting segment. welds easily.good sharpness. save the stone.
- 3.Stable Performance: in the outer and inner layers are carefully designed to ensure cutting stability.
- 4.The T-shaped design reduces the interface friction of the blade, makes the diamond exposed quickly, has high efficiency, and has good debris removal and better cooling effect.
- 5.t shape stone cutting segment,cooling effect is good. The three-step design has low side friction resistance, which is not only beneficial to protect the blank body, but also greatly improves chip removal and cooling of the segment.

## Product Specification:

The Following Are Normal Specifications **No Edge Collapse Diamond Segment Supplier:**

Segment Shape	Blade Specification	Core Thickness	Segment Size	Segment Number	Application
T Shape	12 inch 300mm	2.2/2.0	20× 3.6/3.3/3.0× 15(20)	21	Granite Stone Cutting

Blade Specification		Core Thickness	Segment Dimension	Segment Number
12 inch	300mm	2.2/2.0	20× 3.6/3.3/3.0× 15(20)	21
14 inch	350mm	2.4/2.2	20× 3.6/3.3/3.0× 15(20)	24

16 inch	400mm	2.8/2.4	20× 4.0/3.7/3.4× 15(20)	28
18 inch	450mm	2.8/2.6	20× 4.3/4.0/3.7× 15(20)	32
20 inch	500mm	3.2/2.8	20× 4.3/4.0/3.7× 15(20)	36
22 inch	550mm	3.2/3.0	20× 5.0/4.7/4.4× 15(20)	38
24 inch	600mm	3.6/3.2	20× 5.0/4.7/4.4× 15(20)	42
26 inch	650mm	4.0/3.6	20× 5.0/4.7/4.4× 15(20)	46
28 inch	700mm	4.0/3.8	20× 5.4/5.1/4.8× 15(20)	50
32 inch	800mm	4.5/4.2	20× 6.0/5.7/5.4× 15(20)	57

The above specifications is only for reference, other specifications may be available as per customer's demand.

### Product show

### No Edge Collapse Three Step T Shape Diamond Segment for Granite Cutting

#### Application:

diamond segment for stone cutting,wet working diamond cutting  
segment for granite stone.Smooth cutting, narrow cutting gap, reduce stone waste.

T shape diamond segments from professional supplier,the blade has good sharpness in the cutting process, high efficiency and long service life.

The design with unique T step of segment side face allows ideal debris removal and better cooling, improves the sharpness and cutting efficiency. Besides, this design reduces blade stone interface while cutting that will minimize cutting friction and noise. Good cutting result. This special design will not allow easy edge collapse, break, tapered slab etc.

#### Other Types Of Cutter Segment:



## FAQ

### **1. How long is the delivery time of the product?**

Different products have different delivery times. For small orders, the delivery time is only about 7-15 days.

For large and medium-sized orders, our sales staff will confirm the delivery time with you after the order is confirmed.

### **2.What is your terms of payment?**

We accept DHL,Fedex,TNT, UPS , etc.

### **3.Do you provide samples? Is it free or extra?**

Yes, we could offer you the sample machine. But it's not free. You need to pay for the sample and the cost of freight.



### Contact Us:

Fujian Nanan **boreway**® Machinery Co.,Ltd.



No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China



**TEL:** (+86)595-86990206 /



**Fax:** (+86)595-86990220



**Mobile/WhatsApp/Wechat:** (+ 86) 18650679939



**E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)



**Lyon Chang**