

## Product Description

High welding intensity to mitigate the impact and avoid segments breaking off when cutting.

We can manufacture all kinds of specifications upon consumer's request.

Professional cutting marble segment for single blade can achieve fast and easy cutting, no chips, long lifespan, [Diamond Segments For Cutting Marble](#), stable performance and high cutting efficiency.

## Feature:

1. Mainly for the Iranian market
2. Professional Marble Segment for Cutting.
2. [Diamond Segment Cutting Supplier China](#), good cutting result: smooth cutting, flat surface and even size.
4. Different kinds of shape direct at the best performance to meet the different cutting requirements.

## Product Specification:

The Following Are Normal Specifications **Diamond Saw Blade Segment For Marble :**

Blade Diameter	Segment Size (LxWxH)	Steel Saw Blade Thickness	Cutting Material	Machine
1600mm (64 Inch)	24X9.2X10mm	6.5-7.2mm	Marble	Single Arm Machine, Bridge Cutting Machine

**Other Specifications Of Cutter Segment:**

Diameter		Thickness	Teeth	Segment Size			Hole	Max. RPM	Cutting Stone
Inch	mm	mm	pcs/set	L	W	H	mm	RPM	#
10"	250	1.8(2.2)	17	40	3.2	8/10/12	50/60	3450	Granite
12"	300	1.8(2.2)	21	40	3.2	12/15/20	50/60	2850	Granite
14"	350	2.2(2.4)	24	40	3.2	12/15/20	50/60	2450	Granite
16"	400	2.6(2.8)	28	40	3.6	12/15/20	50/60	2150	Granite
18"	450	2.8(3.0)	32	40	4.2	12/15/20	50/60	1900	Granite
20"	500	2.8(3.0)	36	40	4.2	12/15/20	50/60	1750	Granite
24"	600	3.6(3.2)	42	40	4.6	12/15/20	50/60	1450	Granite
32"	800	4.2(4.5)	57	40	5.5	12/15/20	50/60	1150	Granite
36"	900	5.0(5.5)	64	40	6.5	12/15/20	60/80	950	Granite
36"	900	5.0(5.5)	64	24	7.0/6.2	13/15/20	60/80	950	Granite
40"	1000	5.0(5.5)	70	24	7.0/6.2	13/15/20	80/100	850	Granite
48"	1200	5.5(6.0)	80	24	7.4/6.6	13/15/20	80/100	750	Granite
56"	1400	6.0(6.5)	92	24	8.4/7.6	13/15/20	80/100	600	Granite
64"	1600	6.5(7.2)	108	24	9.2/8.4	13/15/20	80/100	550	Granite
72"	1800	7.2(8.0)	120	24	10.0/9.2	13/15/20	80/100	500	Granite
80"	2000	8.0(9.0)	128	24	11.0/10.0	15/20	100/120	450	Granite
86"	2200	8.0(9.0)	132	24	11.0/10.0	15/20	100/120	400	Granite
100"	2500	9.0(10.0)	140	24	12.0/11.0	15/20	100/120	350	Granite
120"	3000	9.0(10.0)	160	24	12.5/11.5	20/30	100/120	300	Granite
140"	3500	9.0(10.0)	180	24	13.0/12.0	20/30	100/120	250	Granite

**Multi Blade And Single Disc Saw Blade Specifications:**


Blade Set	Blade Diameter	Thickness	Segment Size	Cutting Stone
#	#	mm	LxWxH	#
Single Size	48"/1200mm	4.0	24x5.5x8H(10H)	Marble
Single Size	48"/1200mm	4.5	24x6.0x8H(10H)	Marble
Single Size	48"/1200mm	5.0	24x7.5x8H(10H)	Marble
Single Size	48"/1200mm	5.5	24x8.0x8H(10H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.2x10H(8H)	Marble
Single Size	64"/1600mm	6.5-7.2	24x9.5x13H(10H)	Marble
Single Size	40"/1000mm	4.5-5.0	24x7.0/6.2x13H(15H)	Granite
Single Size	48"/1200mm	5.0-5.5	24x7.5/6.5x13H(15H)	Granite
Single Size	64"/1600mm	6.5-7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	2200-600 Multi	4.5	24x6.4/5.6x13H(15H)	Granite
Multi Size	2200-600 Multi	5.0	24x7.0/6.2x13H(15H)	Granite
Multi Size	2200-600 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2200-600 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	5.5	24x7.4/6.6x13H(15H)	Granite
Multi Size	2500-800 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	2500-800 Multi	7.2	24x9.2/8.4x13H(15H)	Granite
Multi Size	1600-960 Multi	6.5	24x8.4/7.6x13H(15H)	Granite
Multi Size	1600-960 Multi	7.2	24x9.2/8.4x13H(15H)	Granite

[Product show](#)



## 1200MM Diamond Saw Blade Segment For Cutting Marble Block

## High Frequency Welding For 1600mm Saw Blade

Steel Saw Blade Thickness: 6.5-7.2mm



The cutter head has a cutting edge. When welding, it shall be welded according to the rotation direction of the saw blade.







**Application:**

Diamond saw blade for marble slab block cutting.

Diamond segment for single blade, for single arm machine, bridge cutting machine.





Tower Saw Blade



Multi Saw Blade



Single Saw Blade





## FAQ

### **1. Do you offer free samples?**

Normally we do not offer free samples, but we guaranty our product's quality.

### **2. How can we be your agent in our country?**

Please inform us your detailed company, we will discuss and propose helpful suggestion for you, and to find the best solution for you.

### **3. If we need technical support, can you offer us?**

Yes, we have an experienced team, offering our customers additional benefits with specific advice, by our product management staff, engineers and technicians.





Contact Us:

## Fujian Nanan *boreway* Machinery Co.,Ltd.

 No.605 Huahui Center, Shuitou Town 362342 Quanzhou, Fujian, China

 **TEL:** (+86)595-86990206 /  **Fax:** (+86)595-86990220

 **Mobile/WhatsApp/Wechat:** (+ 86) 18650679939

 **E-mail:** [boreway@boreway.com](mailto:boreway@boreway.com)

 **Lyon Chang**